



**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 04.05.2023

Version number 1.4 (replaces version 1.3)

Revision: 04.05.2023

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

- **Product identifier**
- **Trade name: Oilfino Via Eco F 0W30**
- **UFI:** ANV0-502E-M002-U1KM
- **Relevant identified uses of the substance or mixture and uses advised against**  
No further relevant information available.
- **Application of the substance / the mixture** Engine oil
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
oilfino Mineralöl GmbH  
Werkstr. 12  
D- 25497 Prisdorf  
info@oilfino.com  
Tel.: +49 (0) 4101 / 79900  
www.oilfino.com
- **Further information obtainable from:** product safety department
- **Emergency telephone number:**  
Poison Information Centre North (Göttingen)  
Phone +49 (0)551-19240

**SECTION 2: Hazards identification**

- **Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**  
The product is not classified, according to the GB CLP regulation.
- **Label elements**
- **Labelling according to Regulation (EC) No 1272/2008** Void
- **Hazard pictograms** Void
- **Signal word** Void
- **Hazard statements** Void
- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

**SECTION 3: Composition/information on ingredients**

- **Mixtures**
- **Description:** Mixture of substances listed below with nonhazardous additions.

(Contd. on page 2)



## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 04.05.2023

Version number 1.4 (replaces version 1.3)

Revision: 04.05.2023

**Trade name: Oilfino Via Eco F 0W30**

(Contd. of page 1)

· <b>Dangerous components:</b>		
CAS: 64742-54-7 EINECS: 265-157-1 Reg.nr.: 01-2119484627-25-XXXX	Distillates (petroleum), hydrotreated heavy paraffinic Asp. Tox. 1, H304	≥50-≤100%
CAS: 72623-86-0 EINECS: 276-737-9 Reg.nr.: 01-2119474878-16-xxxx	Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based Asp. Tox. 1, H304	≥2.5-≤10%
CAS: 72623-87-1 EINECS: 276-738-4 Reg.nr.: 01-2119474889-13	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based Asp. Tox. 1, H304	≥2.5-≤10%
CAS: 36878-20-3 EINECS: 253-249-4 Reg.nr.: 01-2119488911-28	Bis(nonylphenyl)amine Aquatic Chronic 4, H413	≥0-≤2.5%
CAS: 64742-56-9 EINECS: 265-159-2 Reg.nr.: 01-2119480132-48	Distillates (petroleum), solvent-dewaxed light paraffinic Asp. Tox. 1, H304	≥0-≤2.5%
CAS: 64742-65-0 EINECS: 265-169-7	Distillates (petroleum), solvent-dewaxed heavy paraffinic Asp. Tox. 1, H304	≥0-≤2.5%
CAS: 64742-70-7 EINECS: 265-174-4	Paraffin oils (petroleum), catalytic dewaxed heavy Asp. Tox. 1, H304	≥0-≤2.5%

**· Regulation (EC) No 648/2004 on detergents / Labelling for contents**

aliphatic hydrocarbons	≥5 - <15%
------------------------	-----------

**· Additional information:**

The classification as a carcinogen is not obligatory if it can be shown that the mineral oils contained in the substance/mixture contain less than 3 % DMSO extract measured according to method IP 346.

For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

**· Description of first aid measures**

- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Generally the product does not irritate the skin.
- **After eye contact:** Rinse opened eye for several minutes under running water.

(Contd. on page 3)



## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 04.05.2023

Version number 1.4 (replaces version 1.3)

Revision: 04.05.2023

**Trade name: Oilfino Via Eco F 0W30**

(Contd. of page 2)

- **After swallowing:** If symptoms persist consult doctor.
- **Most important symptoms and effects, both acute and delayed**  
No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### SECTION 5: Firefighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**  
Use fire extinguishing methods suitable to surrounding conditions.  
Sand  
Foam  
Water haze  
CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

### SECTION 6: Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

### SECTION 7: Handling and storage

- **Precautions for safe handling** No special measures required.
- **Information about fire - and explosion protection:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.

(Contd. on page 4)



**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 04.05.2023

Version number 1.4 (replaces version 1.3)

Revision: 04.05.2023

**Trade name: Oilfino Via Eco F 0W30**

(Contd. of page 3)

- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **Storage class (TRGS):** 10
- **Specific end use(s)** No further relevant information available.

**SECTION 8: Exposure controls/personal protection**

- **Control parameters**
- **Ingredients with limit values that require monitoring at the workplace:**  
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· **DNELs**

**64742-54-7 Distillates (petroleum), hydrotreated heavy paraffinic**

Dermal	DNEL Long-term – dermal, systemic effects	0.97 mg/kg_bw/d (Worker)
Inhalative	DNEL long-term - inhalation local effects	5.58 mg/m <sup>3</sup> (Worker)
	DNEL Long-term – inhalation, systemic effects	2.73 mg/m <sup>3</sup> /d (Worker)

**72623-86-0 Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based**

Oral	DNEL Long-term - oral, systemic effects	0.74 mg/kg_bw/day (general public)
Dermal	DNEL Long-term – dermal, systemic effects	0.97 mg/kg_bw/d (Worker)
Inhalative	DNEL long-term - inhalation local effects	5.4 mg/m <sup>3</sup> (Worker)
		1.2 mg/m <sup>3</sup> (general public)
	DNEL Long-term – inhalation, systemic effects	2.73 mg/m <sup>3</sup> /d (Worker)

**72623-87-1 Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based**

Inhalative	DNEL long-term - inhalation local effects	5.4 mg/m <sup>3</sup> (Worker)
		1.2 mg/m <sup>3</sup> (general public)

**36878-20-3 Bis(nonylphenyl)amine**

Dermal	DNEL Long-term – dermal, systemic effects	5 mg/kg_bw/d (Worker)
	DNEL Derived No Effects Level	5 mg/kg (Worker)
		2.5 mg/kg (general public)

· **PNECs**

**64742-54-7 Distillates (petroleum), hydrotreated heavy paraffinic**

PNEC secondary poisoning	9.33 mg/kg KG/d
--------------------------	-----------------

**72623-87-1 Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based**

PNEC secondary poisoning	9.33 mg/kg KG/d
--------------------------	-----------------

(Contd. on page 5)



## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 04.05.2023

Version number 1.4 (replaces version 1.3)

Revision: 04.05.2023

**Trade name: Oilfino Via Eco F 0W30**

(Contd. of page 4)

**36878-20-3 Bis(nonylphenyl)amine**

PNEC short term, fresh water	0.412 mg/l (Aquatic organisms)
PNEC short term, sea water	0.0412 mg/l (Aquatic organisms)
PNEC short term, sewage plant	1 mg/l (Microorganism)
PNEC short term fresh water sediment	1 mg/kg (Aquatic organisms)
PNEC short term soil	100 mg/kg (terrestrial organisms)
PNEC short term sea water sediment	0.1 mg/kg (Aquatic organisms)
PNEC short term, intermittent releases	1 mg/l (Aquatic organisms)

**64742-56-9 Distillates (petroleum), solvent-dewaxed light paraffinic**

PNEC secondary poisoning	9.33 mg/kg KG/d
--------------------------	-----------------

· **Additional information:** The lists valid during the making were used as basis.

· **Exposure controls**

· **Appropriate engineering controls** No further data; see section 7.

· **Individual protection measures, such as personal protective equipment**

· **General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

· **Respiratory protection:** Not required.

· **Hand protection**

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation



Protective gloves

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 6)



## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 04.05.2023

Version number 1.4 (replaces version 1.3)

Revision: 04.05.2023

**Trade name: Oilfino Via Eco F 0W30**

(Contd. of page 5)

**· Eye/face protection**

Tightly sealed goggles

**SECTION 9: Physical and chemical properties****· Information on basic physical and chemical properties****· General Information****· Physical state**

Fluid

**· Colour:**

Brown

**· Odour:**

Characteristic

**· Odour threshold:**

Not determined.

**· Melting point/freezing point:**

-45 °C

**· Boiling point or initial boiling point and boiling range**

Undetermined.

**· Flammability**

Not applicable.

**· Lower and upper explosion limit****· Lower:**

Not determined.

**· Upper:**

Not determined.

**· Flash point:**

230 °C

**· Decomposition temperature:**

Not determined.

**· pH**

Mixture is non-soluble (in water).

**· Viscosity:****· Kinematic viscosity at 40 °C**49.3 mm<sup>2</sup>/s**· Dynamic:**

Not determined.

**· Solubility****· water:**

Not miscible or difficult to mix.

**· Partition coefficient n-octanol/water (log value)**

Not determined.

**· Vapour pressure:**

Not determined.

**· Density and/or relative density****· Density at 20 °C:**0.845 g/cm<sup>3</sup>**· Relative density**

Not determined.

**· Density (@15°C)**

Not determined.

**· Vapour density**

Not determined.

(Contd. on page 7)



**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 04.05.2023

Version number 1.4 (replaces version 1.3)

Revision: 04.05.2023

**Trade name: Oilfino Via Eco F 0W30**

(Contd. of page 6)

· <b>Other information</b>	
· <b>Appearance:</b>	
· <b>Form:</b>	Fluid
· <b>Important information on protection of health and environment, and on safety.</b>	
· <b>Ignition temperature:</b>	Product is not selfigniting.
· <b>Explosive properties:</b>	Product does not present an explosion hazard.
· <b>Solvent content:</b>	
· <b>VOC (EC)</b>	0.00 %
· <b>Change in condition</b>	
· <b>Evaporation rate</b>	Not determined.
· <b>Information with regard to physical hazard classes</b>	
· <b>Explosives</b>	Void
· <b>Flammable gases</b>	Void
· <b>Aerosols</b>	Void
· <b>Oxidising gases</b>	Void
· <b>Gases under pressure</b>	Void
· <b>Flammable liquids</b>	Void
· <b>Flammable solids</b>	Void
· <b>Self-reactive substances and mixtures</b>	Void
· <b>Pyrophoric liquids</b>	Void
· <b>Pyrophoric solids</b>	Void
· <b>Self-heating substances and mixtures</b>	Void
· <b>Substances and mixtures, which emit flammable gases in contact with water</b>	Void
· <b>Oxidising liquids</b>	Void
· <b>Oxidising solids</b>	Void
· <b>Organic peroxides</b>	Void
· <b>Corrosive to metals</b>	Void
· <b>Desensitised explosives</b>	Void

**SECTION 10: Stability and reactivity**

- **Reactivity** No further relevant information available.

(Contd. on page 8)

CB



## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 04.05.2023

Version number 1.4 (replaces version 1.3)

Revision: 04.05.2023

**Trade name: Oilfino Via Eco F 0W30**

(Contd. of page 7)

- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

### SECTION 11: Toxicological information

- **Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.

- **LD/LC50 values relevant for classification:**

**64742-54-7 Distillates (petroleum), hydrotreated heavy paraffinic**

Oral	LD50	>5,000 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rab)

**72623-86-0 Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based**

Oral	LD50	>5,000 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rabbit)

**72623-87-1 Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based**

Oral	LD50	>5,000 mg/kg (rat)
Dermal	LD50	>5,000 mg/kg (rat)

**36878-20-3 Bis(nonylphenyl)amine**

Oral	LD50	>5,000 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rat)

**64742-56-9 Distillates (petroleum), solvent-dewaxed light paraffinic**

Oral	LD50	>5,000 mg/kg (Worker)
Dermal	LD50	>5,000 mg/kg (Worker)

**64742-65-0 Distillates (petroleum), solvent-dewaxed heavy paraffinic**

Oral	LD50	>5,000 mg/kg (rat)
	LD	5 g/kg (rat)
Dermal	LD50	>5,000 mg/kg (rabbit)
	LD	5 g/kg (rabbit)

- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.

(Contd. on page 9)





**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 04.05.2023

Version number 1.4 (replaces version 1.3)

Revision: 04.05.2023

**Trade name: Oilfino Via Eco F 0W30**

(Contd. of page 8)

- **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **Information on other hazards**

· **Endocrine disrupting properties**

None of the ingredients is listed.

**SECTION 12: Ecological information**

· **Toxicity**

· **Aquatic toxicity:**

**64742-54-7 Distillates (petroleum), hydrotreated heavy paraffinic**

LC50 (96h) mg/ltr.	>100 mg/ltr (Fish)
EC50 (48h)	>10,000 mg/l (daphnia)
EL50 (48h)	>10,000 mg/l (Daphnia magna)
NOEC	10 mg/l /21d chronic (Daphnia magna) ≥1,000 mg/l /14d/ (Fish) ≥100 mg/l /Akut, 96 (Pseudokirchneriella subcapitata)

**72623-86-0 Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based**

LC50 (96h) mg/ltr.	100 mg/ltr (Fish)
LC50 (48h) mg/ltr	>10,000 mg/ltr (Aquatic organisms)
NOEC	10 mg/l /21d / chroni (Daphnia magna) >100 mg/l /72h / acut (Pseudokirchneriella subcapitata)

**72623-87-1 Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based**

EL50 (48h)	>10,000 mg/l (Daphnia magna) >100 mg/l (Pseudokirchneriella subcapitata)
LL50 (48h)	>100 mg/l (Oncorhynchus mykiss)
NOELR (72h)	≥100 ml/l (Pseudokirchneriella subcapitata)
NOEL (21d)	>1,000 ml/l (Oncorhynchus mykiss)

(Contd. on page 10)



**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 04.05.2023

Version number 1.4 (replaces version 1.3)

Revision: 04.05.2023

**Trade name: Oilfino Via Eco F 0W30**

(Contd. of page 9)

NOEL chronic	10 mg/l /21d (Daphnia magna)
<b>36878-20-3 Bis(nonylphenyl)amine</b>	
EC50 (48h)	100 mg/l (Fish)
NOELR (28d)	10 mg/ltr. /34d (Fish) (long term, systemic effect)
<b>64742-56-9 Distillates (petroleum), solvent-dewaxed light paraffinic</b>	
LC50 (96h) mg/ltr.	>100 mg/ltr (Fish)
EC50 (48h)	>10,000 mg/l (Daphnia magna)
ErC (72h)	>100 mg/l (Pseudokirchneriella subcapitata)
NOEC	10 mg/l /21d (Daphnia magna)

**· Persistence and degradability**

64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic	31(28d) %
72623-86-0	Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based	2-4 (28d) %
36878-20-3	Bis(nonylphenyl)amine	31 %
64742-56-9	Distillates (petroleum), solvent-dewaxed light paraffinic	2-4 (28d) %

**· Bioaccumulative potential**

36878-20-3	Bis(nonylphenyl)amine	7,6
------------	-----------------------	-----

· **Mobility in soil** No further relevant information available.

**· Results of PBT and vPvB assessment**

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

**· Endocrine disrupting properties**

The product does not contain substances with endocrine disrupting properties.

· **Other adverse effects** No further relevant information available.

**· Additional ecological information:**

**· General notes:**

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Self-classification according to Annex 1 (to § 4 paragraph 1, § 8 paragraph 1 and § 10 paragraph 2) of the Ordinance on Facilities for Handling Substances Hazardous to Water 1, 2 (AwSV).

**SECTION 13: Disposal considerations**

**· Waste treatment methods**

- **Recommendation** Smaller quantities can be disposed of with household waste.

(Contd. on page 11)



**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 04.05.2023

Version number 1.4 (replaces version 1.3)

Revision: 04.05.2023

**Trade name: Oilfino Via Eco F 0W30**

(Contd. of page 10)

- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

**SECTION 14: Transport information**

- |  |                 |
|--|-----------------|
| · <b>UN number or ID number</b>                                  |                 |
| · <b>ADR, IMDG, IATA</b>   | not regulated   |
| · <b>UN proper shipping name</b>                                 |                 |
| · <b>ADR, IMDG, IATA</b>   | not regulated   |
| · <b>Transport hazard class(es)</b>                              |                 |
| · <b>ADR, ADN, IMDG, IATA</b>                                    |                 |
| · <b>Class</b>   | not regulated   |
| · <b>Packing group</b>   |                 |
| · <b>ADR, IMDG, IATA</b>   | not regulated   |
| · <b>Environmental hazards:</b>                                  | Not applicable. |
| · <b>Special precautions for user</b>                            | Not applicable. |
| · <b>Maritime transport in bulk according to IMO instruments</b> | Not applicable. |
| · <b>UN "Model Regulation":</b>                                  | not regulated   |

**SECTION 15: Regulatory information**

- **Safety, health and environmental regulations/legislation specific for the substance or mixture: (Substances not listed)**  
None of the ingredients is listed.
- **Directive 2004/42/EC**
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.

(Contd. on page 12)



## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 04.05.2023

Version number 1.4 (replaces version 1.3)

Revision: 04.05.2023

**Trade name: Oilfino Via Eco F 0W30**

(Contd. of page 11)

**· REGULATION (EU) 2019/1148****· Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

None of the ingredients is listed.

**· Annex II - REPORTABLE EXPLOSIVES PRECURSORS**

None of the ingredients is listed.

**· Regulation (EC) No 273/2004 on drug precursors**

None of the ingredients is listed.

**· Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**

None of the ingredients is listed.

**· National regulations:****· VOC (EU) 0.0 g/l****· Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.**SECTION 16: Other information****· Disclaimer**

This safety data sheet contains only safety relevant information. The information is based on the state of our knowledge at the time of revision, however, it does not constitute a guarantee of product properties, product information or product specifications and does not establish a contractual legal relationship. This document is only valid in its unchanged form. In the event of changes by third parties, the exhibitor accepts no responsibility for form and content or for any damages or claims arising from such changes. The information is not transferable to other products. If the product named in this safety data sheet is mixed, blended or processed with other materials or is subjected to processing, the information in this safety data sheet cannot be transferred to the new material produced in this way, unless expressly stated otherwise. The data sheet does not release the user from the obligation to ensure that he acts in accordance with all regulations in connection with his activity.

**· Relevant phrases**

H304 May be fatal if swallowed and enters airways.

H413 May cause long lasting harmful effects to aquatic life.

**· Contact:** MSDS authorized Person**· Version number of previous version:** 1.3**· Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

(Contd. on page 13)



**Safety data sheet**  
**according to 1907/2006/EC, Article 31**

Printing date 04.05.2023

Version number 1.4 (replaces version 1.3)

Revision: 04.05.2023

**Trade name: Oilfino Via Eco F 0W30**

(Contd. of page 12)

IATA: International Air Transport Association  
GHS: Globally Harmonised System of Classification and Labelling of Chemicals  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
VOC: Volatile Organic Compounds (USA, EU)  
DNEL: Derived No-Effect Level (UK REACH)  
PNEC: Predicted No-Effect Concentration (UK REACH)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative  
Asp. Tox. 1: Aspiration hazard – Category 1  
Aquatic Chronic 4: Hazardous to the aquatic environment - long-term aquatic hazard – Category 4

GB