



**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 04.05.2023

Version number 3.0 (replaces version 2.9)

Revision: 04.05.2023

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

- **Product identifier**
- **Trade name: Oilfino Famagas LA 40**
- **Article number: 5851000**
- **Relevant identified uses of the substance or mixture and uses advised against**  
No further relevant information available.
- **Application of the substance / the mixture** Lubricant
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
oilfino Mineralöl GmbH  
Werkstr. 12  
D- 25497 Prisdorf  
info@oilfino.com  
Tel.: +49 (0) 4101 / 79900  
www.oilfino.com
- **Further information obtainable from:** Sales
- **Emergency telephone number:**  
Poison Information Centre North (Göttingen)  
Phone +49 (0)551-19240

**SECTION 2: Hazards identification**

- **Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**  
Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

---

- **Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**  
The product is classified and labelled according to the GB CLP regulation.
- **Hazard pictograms** Void
- **Signal word** Void
- **Hazard statements**  
H412 Harmful to aquatic life with long lasting effects.
- **Precautionary statements**  
P101 If medical advice is needed, have product container or label at hand.  
P102 Keep out of reach of children.  
P103 Read carefully and follow all instructions.  
P273 Avoid release to the environment.  
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)



**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 04.05.2023

Version number 3.0 (replaces version 2.9)

Revision: 04.05.2023

**Trade name: Oilfino Famagas LA 40**

(Contd. of page 1)

- **Additional information:**  
EUH 208: Contains Benzenesulfonic acid, methyl, mono-C20-24 branched alkyl derivatives, calcium salts. May produce an allergic reaction.
- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

· **Determination of endocrine-disrupting properties**

121158-58-5 phenol, dodecyl-, branched

List I

**SECTION 3: Composition/information on ingredients**

- **Mixtures**
- **Description:** Mixture of substances listed below with nonhazardous additions.

· **Dangerous components:**

CAS: 125643-61-0 ELINCS: 406-040-9 Reg.nr.: 01-0000015551-76	A mixture of isomers of: C7-9-alkyl-3-(3,5-di-trans-butyl-4-hydroxyphenyl)propionate ----- Aquatic Chronic 4, H413	≥0-≤10%
EC number: 701-249-4 Reg.nr.: 01-2119524018-47	Phenol, paraalkylation products with branched C10-15 olefins (C12-rich), derived from propene oligomerisation, calcium salts, sulphurised, including distillates (petroleum), hydrotreated Hydrogen-treated, solvent-refined, solvent-dewaxed or catalytically dewaxed, light or heavy paraffinic. C15- C50 ----- Aquatic Chronic 4, H413	≥0-≤10%
CAS: 722503-68-6 EC number: 682-816-2	Benzenesulfonic acid, methyl, mono-C20-24 branched alkyl derivatives, calcium salts ----- Skin Sens. 1B, H317	≥0.1-<1%
CAS: 121158-58-5 EC number: 310-154-3	phenol, dodecyl-, branched ----- Repr. 1B, H360F; Skin Corr. 1C, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=10)	≥0.025-<0.25%

- **Additional information:**  
The classification as a carcinogen is not obligatory if it can be shown that the mineral oils contained in the substance/mixture contain less than 3 % DMSO extract measured according to method IP 346.

(Contd. on page 3)



## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 04.05.2023

Version number 3.0 (replaces version 2.9)

Revision: 04.05.2023

**Trade name: Oilfino Famagas LA 40**

For the wording of the listed hazard phrases refer to section 16.

(Contd. of page 2)

### SECTION 4: First aid measures

- **Description of first aid measures**
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** If skin irritation continues, consult a doctor.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** If symptoms persist consult doctor.
- **Most important symptoms and effects, both acute and delayed**  
No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### SECTION 5: Firefighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**  
Use fire extinguishing methods suitable to surrounding conditions.  
Sand  
Foam  
Water haze  
CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

### SECTION 6: Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:**  
Do not allow product to reach sewage system or any water course.  
Inform respective authorities in case of seepage into water course or sewage system.  
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Dispose contaminated material as waste according to section 13.

(Contd. on page 4)



**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 04.05.2023

Version number 3.0 (replaces version 2.9)

Revision: 04.05.2023

**Trade name: Oilfino Famagas LA 40**

(Contd. of page 3)

· **Reference to other sections**

- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

**SECTION 7: Handling and storage**

- **Precautions for safe handling** No special precautions are necessary if used correctly.
- **Information about fire - and explosion protection:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **Storage class (TRGS):** 10
- **Specific end use(s)** No further relevant information available.

**SECTION 8: Exposure controls/personal protection**

· **Control parameters**

· **Ingredients with limit values that require monitoring at the workplace:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· **DNELs**

**125643-61-0 A mixture of isomers of: C7-9-alkyl-3-(3,5-di-trans-butyl-4-hydroxyphenyl) propionate**

Oral	DNEL Long-term - oral, systemic effects	0.43 mg/kg_bw/day (general public)
Dermal	DNEL Long-term – dermal, systemic effects	8.6 mg/kg_bw/d (Worker)
		4.3 mg/kg_bw/d (general public)
Inhalative	DNEL Long-term – inhalation, systemic effects	3 mg/m <sup>3</sup> /d (Worker)
		0.76 mg/m <sup>3</sup> /d (general public)

(Contd. on page 5)



**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 04.05.2023

Version number 3.0 (replaces version 2.9)

Revision: 04.05.2023

Trade name: Oilfino Famagas LA 40

(Contd. of page 4)

**Phenol, paraalkylation products with branched C10-15 olefins (C12-rich), derived from propene oligomerisation, calcium salts, sulphurised, including distillates (petroleum), hydrotreated**  
**Hydrogen-treated, solvent-refined, solvent-dewaxed or catalytically dewaxed, light or heavy paraffinic. C15- C50**

Oral	DNEL Long-term - oral, systemic effects	0.25 mg/kg_bw/day (general public)
	DNEL Acute - oral, systemic effects	50 mg/kg bw/day (general public)
Dermal	DNEL Long-term – dermal, systemic effects	0.5 mg/kg_bw/d (Worker)
	DNEL Long-Term - dermal, systemic effects	0.25 mg/kg (general public)
	DNEL Acute - dermal systemic effects	40 mg/kg bw/day (Worker)
		20 mg/kg bw/day (general public)
Inhalative	DNEL Long-term – inhalation, systemic effects	3.5 mg/m <sup>3</sup> /d (Worker)
		0.87 mg/m <sup>3</sup> /d (general public)
	DNEL Acute – inhalation, systemic effects	133.6 mg/m <sup>3</sup> (Worker)
		66.8 mg/m <sup>3</sup> (general public)

**121158-58-5 phenol, dodecyl-, branched**

Dermal	DNEL Long-term – dermal, systemic effects	0.25 mg/kg_bw/d (Worker)
	DNEL Acute - dermal systemic effects	166 mg/kg bw/day (Worker)
Inhalative	DNEL Acute inhalation systemic effects	44.18 mg/m <sup>3</sup> (Worker)

**· PNECs****125643-61-0 A mixture of isomers of: C7-9-alkyl-3-(3,5-di-trans-butyl-4-hydroxyphenyl) propionate**

PNEC short term, sewage plant	10 mg/l (Aquatic organisms)
PNEC short term fresh water sediment	0.37 mg/kg (Aquatic organisms)
PNEC short term soil	0.632 mg/kg (terrestrial organisms)
PNEC short term sea water sediment	0.037 mg/kg (Aquatic organisms)

**Phenol, paraalkylation products with branched C10-15 olefins (C12-rich), derived from propene oligomerisation, calcium salts, sulphurised, including distillates (petroleum), hydrotreated**  
**Hydrogen-treated, solvent-refined, solvent-dewaxed or catalytically dewaxed, light or heavy paraffinic. C15- C50**

PNEC short term, fresh water	1 mg/l (Aquatic organisms)
PNEC short term, sea water	0.1 mg/l (Aquatic organisms)
PNEC short term, sewage plant	100 mg/l (Microorganism)

(Contd. on page 6)



## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 04.05.2023

Version number 3.0 (replaces version 2.9)

Revision: 04.05.2023

**Trade name: Oilfino Famagas LA 40**

(Contd. of page 5)

PNEC short term fresh water sediment	87,100 mg/kg (Aquatic organisms)
PNEC short term soil	17,500 mg/kg (terrestrial organisms)
PNEC short term sea water sediment	87,100 mg/kg (Aquatic organisms)
PNEC short term, intermittent releases	10 mg/l (Aquatic organisms)
PNEC secondary poisoning	20 mg/kg KG/d (Aquatic organisms)
<b>121158-58-5 phenol, dodecyl-, branched</b>	
PNEC short term, fresh water	0.074 mg/l (Aquatic organisms)
PNEC short term, sea water	0.0074 mg/l (Aquatic organisms)
PNEC short term, sewage plant	100 mg/l (Aquatic organisms)
PNEC short term fresh water sediment	0.226 mg/kg (Aquatic organisms)
PNEC short term sea water sediment	0.0226 mg/kg (Aquatic organisms)
PNEC short term, intermittent releases	0.00037 mg/l (Aquatic organisms)

· **Additional information:** The lists valid during the making were used as basis.

· **Exposure controls**

· **Appropriate engineering controls** No further data; see section 7.

· **Individual protection measures, such as personal protective equipment**

· **General protective and hygienic measures:** Wash hands before breaks and at the end of work.

· **Respiratory protection:** Not required.

· **Hand protection**

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation



Protective gloves

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 7)



## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 04.05.2023

Version number 3.0 (replaces version 2.9)

Revision: 04.05.2023

**Trade name: Oilfino Famagas LA 40**

(Contd. of page 6)

**· Eye/face protection**

Tightly sealed goggles

**SECTION 9: Physical and chemical properties****· Information on basic physical and chemical properties****· General Information****· Physical state**

Fluid

**· Colour:**

Light yellow

**· Odour:**

Characteristic

**· Odour threshold:**

Not determined.

**· Melting point/freezing point:**

-21 °C

**· Boiling point or initial boiling point and boiling range**

Undetermined.

**· Flammability**

Not applicable.

**· Lower and upper explosion limit****· Lower:**

Not determined.

**· Upper:**

Not determined.

**· Flash point:**

276 °C

**· Decomposition temperature:**

Not determined.

**· pH**

Not determined.

**· Viscosity:****· Kinematic viscosity at 40 °C**149.9 mm<sup>2</sup>/s**· Dynamic:**

Not determined.

**· Solubility****· water:**

Not miscible or difficult to mix.

**· Partition coefficient n-octanol/water (log value)**

Not determined.

**· Vapour pressure:**

Not determined.

**· Density and/or relative density****· Density:**

Not determined.

**· Relative density**

Not determined.

**· Density (@15°C)**0.8894 g/cm<sup>3</sup>**· Vapour density**

Not determined.

(Contd. on page 8)



**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 04.05.2023

Version number 3.0 (replaces version 2.9)

Revision: 04.05.2023

**Trade name: Oilfino Famagas LA 40**

(Contd. of page 7)

**· Other information****· Appearance:****· Form:**

Fluid

**· Important information on protection of health and environment, and on safety.****· Ignition temperature:**

Product is not selfigniting.

**· Explosive properties:**

Product does not present an explosion hazard.

**· Solvent content:****· VOC (EC)**

0.00 %

**· Solids content:**

&lt;1.0 %

**· Change in condition****· Softening point/range****· Pour point**

-21 °C

**· Evaporation rate**

Not determined.

**· Information with regard to physical hazard classes****· Explosives**

Void

**· Flammable gases**

Void

**· Aerosols**

Void

**· Oxidising gases**

Void

**· Gases under pressure**

Void

**· Flammable liquids**

Void

**· Flammable solids**

Void

**· Self-reactive substances and mixtures**

Void

**· Pyrophoric liquids**

Void

**· Pyrophoric solids**

Void

**· Self-heating substances and mixtures**

Void

**· Substances and mixtures, which emit flammable gases in contact with water**

Void

**· Oxidising liquids**

Void

**· Oxidising solids**

Void

**· Organic peroxides**

Void

**· Corrosive to metals**

Void

**· Desensitised explosives**

Void

GB

(Contd. on page 9)





**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 04.05.2023

Version number 3.0 (replaces version 2.9)

Revision: 04.05.2023

**Trade name: Oilfino Famagas LA 40**

(Contd. of page 8)

**SECTION 10: Stability and reactivity**

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

**SECTION 11: Toxicological information**

- **Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.

· **LD/LC50 values relevant for classification:**

Oral	LD50	>5,000 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rabbit)
Inhalative	LC50(4h) o. Zuordnung	5.53 mg/l /AEROSOL (rat)

**125643-61-0 A mixture of isomers of: C7-9-alkyl-3-(3,5-di-trans-butyl-4-hydroxyphenyl) propionate**

Oral	LD50	>2,000 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rat)

**Phenol, paraalkylation products with branched C10-15 olefins (C12-rich), derived from propene oligomerisation, calcium salts, sulphurised, including distillates (petroleum), hydrotreated**

**Hydrogen-treated, solvent-refined, solvent-dewaxed or catalytically dewaxed, light or heavy paraffinic. C15- C50**

Oral	LD50	>5,000 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rat)

**121158-58-5 phenol, dodecyl-, branched**

Oral	LD50	2,100-2,200 mg/kg (rat)
Dermal	LD50	15,000 mg/kg (rabbit)

- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation** Based on available data, the classification criteria are not met.

(Contd. on page 10)



**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 04.05.2023

Version number 3.0 (replaces version 2.9)

Revision: 04.05.2023

**Trade name: Oilfino Famagas LA 40**

(Contd. of page 9)

- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **Information on other hazards**

· **Endocrine disrupting properties**

121158-58-5 phenol, dodecyl-, branched

List I

**SECTION 12: Ecological information**

· **Toxicity**

· **Aquatic toxicity:**

**125643-61-0 A mixture of isomers of: C7-9-alkyl-3-(3,5-di-trans-butyl-4-hydroxyphenyl) propionate**

LC50 (96h) mg/ltr.	>74 mg/ltr (Zebrafisch)
LC50 14d (OECD 204)	>100 mg/ltr. (Fish)
EC50 (48h)	>100 mg/l (daphnia)
EL 50(72h)	>3 mg/l (algae)
NOEC	≥3 mg/l /acut (desmodesmus subspicatus)

**Phenol, paraalkylation products with branched C10-15 olefins (C12-rich), derived from propene oligomerisation, calcium salts, sulphurised, including distillates (petroleum), hydrotreated**

**Hydrogen-treated, solvent-refined, solvent-dewaxed or catalytically dewaxed, light or heavy paraffinic. C15- C50**

EC50 (48h)	>1,000 mg/l (daphnia)
ErC50 (96h)	>1,000 mg/ltr (algae)

**121158-58-5 phenol, dodecyl-, branched**

EC50 (48h)	0.037-0.0927 mg/l (daphnia)
EC50 (72h)	0.15-0.765 mg/l (algae)
NOEC	0.07-0.442 mg/l /3d (algae) 0.011 mg/l /2d (daphnia)

(Contd. on page 11)



**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 04.05.2023

Version number 3.0 (replaces version 2.9)

Revision: 04.05.2023

**Trade name: Oilfino Famagas LA 40**

(Contd. of page 10)

· **Persistence and degradability**

125643-61-0	A mixture of isomers of: C7-9-alkyl-3-(3,5-di-trans-butyl-4-hydroxyphenyl) propionate	4 (28d) %
	Phenol, paraalkylation products with branched C10-15 olefins (C12-rich), derived from propene oligomerisation, calcium salts, sulphurised, including distillates (petroleum), hydrotreated Hydrogen-treated, solvent-refined, solvent-dewaxed or catalytically dewaxed, light or heavy paraffinic. C15-C50	4,7-10,8 %

· **Bioaccumulative potential**

121158-58-5	phenol, dodecyl-, branched	7,14
-------------	----------------------------	------

· **Mobility in soil** No further relevant information available.

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **Endocrine disrupting properties**

For information on endocrine disrupting properties see section 11.

· **Other adverse effects** No further relevant information available.

· **Remark:** Harmful to fish

· **Additional ecological information:**

· **General notes:**

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Self-classification according to Annex 1 (to § 4 paragraph 1, § 8 paragraph 1 and § 10 paragraph 2) of the Ordinance on Facilities for Handling Substances Hazardous to Water 1, 2 (AwSV).

Harmful to aquatic organisms

GB

(Contd. on page 12)



## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 04.05.2023

Version number 3.0 (replaces version 2.9)

Revision: 04.05.2023

**Trade name: Oilfino Famagas LA 40**

(Contd. of page 11)

### SECTION 13: Disposal considerations

- **Waste treatment methods**
- **Recommendation**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- **European waste catalogue**

13 01 10*	mineral based non-chlorinated hydraulic oils
15 01 10*	packaging containing residues of or contaminated by hazardous substances
HP14	Ecotoxic

- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

### SECTION 14: Transport information

- |                                                                                        |                 |
|----------------------------------------------------------------------------------------|-----------------|
| · <b>UN number or ID number</b><br>· <b>ADR, IMDG, IATA</b>                            | not regulated   |
| · <b>UN proper shipping name</b><br>· <b>ADR, IMDG, IATA</b>                           | not regulated   |
| · <b>Transport hazard class(es)</b><br>· <b>ADR, ADN, IMDG, IATA</b><br>· <b>Class</b> | not regulated   |
| · <b>Packing group</b><br>· <b>ADR, IMDG, IATA</b>                                     | not regulated   |
| · <b>Environmental hazards:</b>                                                        | Not applicable. |
| · <b>Special precautions for user</b>                                                  | Not applicable. |
| · <b>Maritime transport in bulk according to IMO instruments</b>                       | Not applicable. |
| · <b>UN "Model Regulation":</b>                                                        | not regulated   |

GB

(Contd. on page 13)



## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 04.05.2023

Version number 3.0 (replaces version 2.9)

Revision: 04.05.2023

**Trade name: Oilfino Famagas LA 40**

(Contd. of page 12)

### SECTION 15: Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture: (Substances not listed)**

None of the ingredients is listed.

- **Directive 2004/42/EC**

- **Directive 2012/18/EU**

- **Named dangerous substances - ANNEX I** None of the ingredients is listed.

- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3

- **REGULATION (EU) 2019/1148**

- **Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

None of the ingredients is listed.

- **Annex II - REPORTABLE EXPLOSIVES PRECURSORS**

None of the ingredients is listed.

- **Regulation (EC) No 273/2004 on drug precursors**

None of the ingredients is listed.

- **Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**

None of the ingredients is listed.

- **National regulations:**

- **Other regulations, limitations and prohibitive regulations**

- **Substances of very high concern (SVHC) according to REACH, Article 57**

121158-58-5 phenol, dodecyl-, branched

- **VOC (EU)** 0.0 g/l

- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

- **Disclaimer**

This safety data sheet contains only safety relevant information. The information is based on the state of our knowledge at the time of revision, however, it does not constitute a guarantee of product properties, product information or product specifications and does not establish a contractual legal relationship. This document is only valid in its unchanged form. In the event of changes by third parties, the exhibitor accepts no responsibility for form and content or for any damages or claims

(Contd. on page 14)



## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 04.05.2023

Version number 3.0 (replaces version 2.9)

Revision: 04.05.2023

**Trade name: Oilfino Famagas LA 40**

(Contd. of page 13)

arising from such changes. The information is not transferable to other products. If the product named in this safety data sheet is mixed, blended or processed with other materials or is subjected to processing, the information in this safety data sheet cannot be transferred to the new material produced in this way, unless expressly stated otherwise. The data sheet does not release the user from the obligation to ensure that he acts in accordance with all regulations in connection with his activity.

**Relevant phrases**

- H314 Causes severe skin burns and eye damage.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H360F May damage fertility.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H413 May cause long lasting harmful effects to aquatic life.

**Contact:** MSDS authorized Person**Version number of previous version:** 2.9**Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Skin Corr. 1C: Skin corrosion/irritation – Category 1C

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Skin Sens. 1B: Skin sensitisation – Category 1B

Repr. 1B: Reproductive toxicity – Category 1B

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

Aquatic Chronic 4: Hazardous to the aquatic environment - long-term aquatic hazard – Category 4