



Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 04.05.2023

Version number 2.0 (replaces version 1.2)

Revision: 04.05.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **Product identifier**
- **Trade name: Oilfino Fettspray Weiß**
- **Article number:** 5990000
- **UFI:** 2471-W08U-Y00E-HPPG
- **Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
- **Application of the substance / the mixture** Grease
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
oilfino Mineralöl GmbH
Werkstr. 12
D- 25497 Prisdorf
info@oilfino.com
Tel.: +49 (0) 4101 / 79900
www.oilfino.com
- **Further information obtainable from:** Sales
- **Emergency telephone number:**
Poison Information Centre North (Göttingen)
Phone +49 (0)551-19240

SECTION 2: Hazards identification

- **Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**



GHS02 flame

Aerosol 1

H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.



GHS09 environment

Aquatic Chronic 2 H411

Toxic to aquatic life with long lasting effects.



GHS07

Skin Irrit. 2

H315

Causes skin irritation.

(Contd. on page 2)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 04.05.2023

Version number 2.0 (replaces version 1.2)

Revision: 04.05.2023

Trade name: Oilfino Fettspray Weiß

(Contd. of page 1)

STOT SE 3 H336 May cause drowsiness or dizziness.

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.

Label elements**Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the GB CLP regulation.

Hazard pictograms

GHS02 GHS07 GHS09

Signal word Danger**Hazard-determining components of labelling:**

Kohlenwasserstoffe, C6-C7, n-Alkane, iso-AlkaVerbindungen, <5 % n-Hexan

Kohlenwasserstoffe, C7, n-Alkane, Isoalkane, Cyclen

Hazard statements

H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.

H315 Causes skin irritation.

H336 May cause drowsiness or dizziness.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 Wash thoroughly after handling.

P273 Avoid release to the environment.

P302+P352 IF ON SKIN: Wash with plenty of water.

P321 Specific treatment (see on this label).

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P362+P364 Take off contaminated clothing and wash it before reuse.

P391 Collect spillage.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

(Contd. on page 3)



Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 04.05.2023

Version number 2.0 (replaces version 1.2)

Revision: 04.05.2023

Trade name: Oilfino Fettspray Weiß

(Contd. of page 2)

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Additional information:**

EUH 208: Contains polysulfides, di-tert-dodecyl. May produce an allergic reaction.

· **Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· **Mixtures**

· **Description:** Mixture of substances listed below with nonhazardous additions.

· **Dangerous components:**

	Kohlenwasserstoffe, C6-C7, n-Alkane, iso-AlkaVerbindungen, <5 % n-Hexan Flam. Liq. 2, H225; Asp. Tox. 1, H304; Aquatic Chronic 2, H411; Skin Irrit. 2, H315; STOT SE 3, H336	≥10-<25%
EC number: 927-510-4 Reg.nr.: 01-2119475515-33	Kohlenwasserstoffe, C7, n-Alkane, Isoalkane, Cyclen Flam. Liq. 2, H225; Asp. Tox. 1, H304; Aquatic Chronic 2, H411; Skin Irrit. 2, H315; STOT SE 3, H336	≥10-<25%
CAS: 74-98-6 EINECS: 200-827-9 Reg.nr.: 01-2119486944-21	propane Flam. Gas 1A, H220; Press. Gas (Comp.), H280	≥10-≤25%
CAS: 106-97-8 EINECS: 203-448-7 Reg.nr.: 01-2119474691-32	butane (containing ≥ 0,1% butadiene (203-450-8)) Flam. Gas 1A, H220; Press. Gas (Comp.), H280	≥2.5-≤10%
CAS: 75-28-5 EINECS: 200-857-2 Reg.nr.: 01-2119485395-27	isobutane Flam. Gas 1A, H220; Press. Gas (Comp.), H280	≥2.5-≤10%
CAS: 68425-15-0	polysulfides, di-tert-dodecyl Skin Sens. 1B, H317; Aquatic Chronic 4, H413	≥0.1-<1%

· **Regulation (EC) No 648/2004 on detergents / Labelling for contents**

aliphatic hydrocarbons

≥30%

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.

GB

(Contd. on page 4)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 04.05.2023

Version number 2.0 (replaces version 1.2)

Revision: 04.05.2023

Trade name: Oilfino Fettspray Weiß

(Contd. of page 3)

SECTION 4: First aid measures

- **Description of first aid measures**
- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:**
Supply fresh air; consult doctor in case of complaints.
In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:**
If skin irritation continues, consult a doctor.
Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** If symptoms persist consult doctor.
- **Most important symptoms and effects, both acute and delayed**
No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

SECTION 5: Firefighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

SECTION 6: Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:**
Do not allow product to reach sewage system or any water course.
Inform respective authorities in case of seepage into water course or sewage system.
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Dispose contaminated material as waste according to section 13.
Ensure adequate ventilation.
- **Reference to other sections**
See Section 7 for information on safe handling.

(Contd. on page 5)



Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 04.05.2023

Version number 2.0 (replaces version 1.2)

Revision: 04.05.2023

Trade name: Oilfino Fettspray Weiß

(Contd. of page 4)

See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace.
- **Information about fire - and explosion protection:** Keep ignition sources away - Do not smoke.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**
Observe official regulations on storing packagings with pressurised containers.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep container tightly sealed.
- **Storage class (TRGS):** 2 B
- **Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

· **Control parameters**

· **Ingredients with limit values that require monitoring at the workplace:**

106-97-8 butane (containing ≥ 0,1% butadiene (203-450-8))

WEL (Great Britain)	Short-term value: 1810 mg/m ³ , 750 ppm Long-term value: 1450 mg/m ³ , 600 ppm Carc (if more than 0.1% of buta-1.3-diene)
---------------------	---

· **DNELs**

Kohlenwasserstoffe, C6-C7, n-Alkane, iso-AlkaVerbindungen, <5 % n-Hexan

Oral	DNEL Derived No Effects level	699 mg/kg (general public) (long term, systemic effect)
Dermal	DNEL Derived No Effects Level	773 mg/kg (Worker) (long term, systemic effect) 699 mg/kg (general public) (long term, systemic effect)
Inhalative	DNEL Derived No Effects Level	2,035 mg/m ³ (Worker) (long term, systemic effect)

(Contd. on page 6)



Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 04.05.2023

Version number 2.0 (replaces version 1.2)

Revision: 04.05.2023

Trade name: Oilfino Fettspray Weiß

(Contd. of page 5)

		608 mg/m ³ (general public) (long term, systemic effect)
Kohlenwasserstoffe, C7, n-Alkane, Isoalkane, Cyclen		
Oral	DNEL Long-term - oral, systemic effects	149 mg/kg_bw/day (rat)
Dermal	DNEL Acute - dermal systemic effects	2,085 mg/kg bw/day (rat)
Inhalative	DNEL Acute – inhalation, systemic effects	300 mg/m ³ (rat)

· **Additional information:** The lists valid during the making were used as basis.

· **Exposure controls**

· **Appropriate engineering controls** No further data; see section 7.

· **Individual protection measures, such as personal protective equipment**

· **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

· **Respiratory protection:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· **Hand protection**

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation



Protective gloves

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 7)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 04.05.2023

Version number 2.0 (replaces version 1.2)

Revision: 04.05.2023

Trade name: Oilfino Fettspray Weiß

(Contd. of page 6)

· Eye/face protection

Tightly sealed goggles

SECTION 9: Physical and chemical properties**· Information on basic physical and chemical properties****· General Information****· Physical state**

Aerosol

· Colour:

Whitish

· Odour:

Petrol-like

· Odour threshold:

Not determined.

· Melting point/freezing point:

Undetermined.

· Boiling point or initial boiling point and boiling range

<0 °C

· Flammability

Not applicable.

· Lower and upper explosion limit**· Lower:**

3 Vol %

· Upper:

15 Vol %

· Flash point:

Not applicable, as aerosol.

· Auto-ignition temperature:

>200 °C

· Decomposition temperature:

Not determined.

· pH

Not determined.

· Viscosity:**· Kinematic viscosity**

Not determined.

· Dynamic:

Not determined.

· Solubility**· water:**

Not miscible or difficult to mix.

· Partition coefficient n-octanol/water (log value)

Not determined.

· Vapour pressure:

Not determined.

· Density and/or relative density**· Density at 20 °C:**0.70192 g/cm³**· Relative density**

Not determined.

· Density (@15°C)

Not determined.

(Contd. on page 8)



Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 04.05.2023

Version number 2.0 (replaces version 1.2)

Revision: 04.05.2023

Trade name: Oilfino Fettspray Weiß

(Contd. of page 7)

· Vapour density	Not determined.
· Other information	
· Appearance:	
· Form:	Aerosol
· Important information on protection of health and environment, and on safety.	
· Ignition temperature:	Product is not selfigniting.
· Explosive properties:	Not determined.
· Solvent content:	
· Organic solvents:	10-<20 %
· VOC (EC)	70.10 %
· Change in condition	
· Evaporation rate	Not applicable.
· Information with regard to physical hazard classes	
· Explosives	Void
· Flammable gases	Void
· Aerosols	Extremely flammable aerosol. Pressurised container: May burst if heated.
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Void
· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flammable gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
· Desensitised explosives	Void

GB

(Contd. on page 9)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 04.05.2023

Version number 2.0 (replaces version 1.2)

Revision: 04.05.2023

Trade name: Oilfino Fettspray Weiß

(Contd. of page 8)

SECTION 10: Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

SECTION 11: Toxicological information

- **Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.

- **LD/LC50 values relevant for classification:**

Kohlenwasserstoffe, C6-C7, n-Alkane, iso-Alkylverbindungen, <5 % n-Hexan

Oral	LD50	>5,840 mg/kg (rat)
Dermal	LD50	2,920 mg/kg (rabbit)
Inhalative	LC50 (4h)	>25 mg/l (rat)

Kohlenwasserstoffe, C7, n-Alkane, Isoalkane, Cyclen

Oral	LD50	>5,840 mg/kg (rat)
Dermal	LD50	>2,920 mg/kg (rat)
Inhalative	LC50 (4h)	23.3 mg/l (rat)

- **Skin corrosion/irritation** Causes skin irritation.
- **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** May cause drowsiness or dizziness.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** May be fatal if swallowed and enters airways.

(Contd. on page 10)



Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 04.05.2023

Version number 2.0 (replaces version 1.2)

Revision: 04.05.2023

Trade name: Oilfino Fettspray Weiß

(Contd. of page 9)

- **Information on other hazards**
 - **Endocrine disrupting properties**
- None of the ingredients is listed.

SECTION 12: Ecological information

· **Toxicity**

· **Aquatic toxicity:**

Kohlenwasserstoffe, C6-C7, n-Alkane, iso-Alkylverbindungen, <5 % n-Hexan

EL50 (48h)	3 mg/l (Pseudokirchneriella subcapitata)
EL 50(72h)	30-100 mg/l (Pseudokirchneriella subcapitata)
LL50 (96h)	11.4 mg/l (rainbow trout)
NOELR (72h)	3 ml/l (Pseudokirchneriella subcapitata)

Kohlenwasserstoffe, C7, n-Alkane, Isoalkane, Cyclen

LC50 (96h) mg/ltr.	13.4 mg/ltr (rainbow trout)
EC50 (48h)	3 mg/l (daphnia)
EC50 (72h)	10-30 mg/l (Pseudokirchneriella subcapitata)

106-97-8 butane (containing ≥ 0,1% butadiene (203-450-8))

LC50 (96h) mg/ltr.	27.98 mg/ltr (Fish)
EC50 (96h) mg/ltr	7.71 mg/ltr (algae)

68425-15-0 polysulfides, di-tert-dodecyl

LC50 (96h)	>100 mg/l (Fish, minnows)
------------	---------------------------

· **Persistence and degradability**

Kohlenwasserstoffe, C7, n-Alkane, Isoalkane, Cyclen	98 %
---	------

- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Endocrine disrupting properties**
The product does not contain substances with endocrine disrupting properties.
- **Other adverse effects** No further relevant information available.
- **Remark:** Toxic for fish

(Contd. on page 11)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 04.05.2023

Version number 2.0 (replaces version 1.2)

Revision: 04.05.2023

Trade name: Oilfino Fettspray Weiß

(Contd. of page 10)

· Additional ecological information:**· General notes:**

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Self-classification according to Annex 1 (to § 4 paragraph 1, § 8 paragraph 1 and § 10 paragraph 2) of the Ordinance on Facilities for Handling Substances Hazardous to Water 1, 2 (AwSV).

Toxic for aquatic organisms

SECTION 13: Disposal considerations**· Waste treatment methods****· Recommendation**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

15 01 04	metallic packaging
16 05 04*	gases in pressure containers (including halons) containing hazardous substances
HP3	Flammable
HP4	Irritant - skin irritation and eye damage
HP5	Specific Target Organ Toxicity (STOT)/Aspiration Toxicity
HP14	Ecotoxic

· Uncleaned packaging:**· Recommendation:** Disposal must be made according to official regulations.**SECTION 14: Transport information****· UN number or ID number****· ADR, IMDG, IATA**

UN1950

· UN proper shipping name**· ADR**1950 AEROSOLS, ENVIRONMENTALLY
HAZARDOUS**· IMDG**

AEROSOLS, MARINE POLLUTANT

(Contd. on page 12)



Safety data sheet
according to 1907/2006/EC, Article 31






Printing date 04.05.2023

Version number 2.0 (replaces version 1.2)

Revision: 04.05.2023

Trade name: Oilfino Fettspray Weiß

(Contd. of page 11)

· IATA	AEROSOLS, flammable
· Transport hazard class(es)	
· ADR	
	
· Class	2.5F Gases.
· Label	2.1
<hr/>	
· IMDG	
	
· Class	2.1 Gases.
· Label	2.1
<hr/>	
· IATA	
	
· Class	2.1 Gases.
· Label	2.1
· Packing group	
· ADR, IMDG, IATA	not regulated
· Environmental hazards:	Product contains environmentally hazardous substances: Hydrocarbons, C6-C7, n-alkanes, iso-alka compounds, <5 % n-hexane
· Marine pollutant:	Symbol (fish and tree)
· Special marking (ADR):	Symbol (fish and tree)
· Special precautions for user	Warning: Gases.
· Hazard identification number (Kemler code):	-
· EMS Number:	F-D,S-U
· Stowage Code	SW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity

(Contd. on page 13)



Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 04.05.2023

Version number 2.0 (replaces version 1.2)

Revision: 04.05.2023

Trade name: Oilfino Fettspray Weiß

(Contd. of page 12)

<ul style="list-style-type: none"> · Segregation Code 	<p>of 1 litre: Category A. For AEROSOLS with a capacity above 1 litre: Category B. For WASTE AEROSOLS: Category C, Clear of living quarters. SG69 For AEROSOLS with a maximum capacity of 1 litre: Segregation as for class 9. Stow "separated from" class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2.</p>
<ul style="list-style-type: none"> · Maritime transport in bulk according to IMO instruments 	<p>Not applicable.</p>
<ul style="list-style-type: none"> · Transport/Additional information: 	
<ul style="list-style-type: none"> · ADR 	
<ul style="list-style-type: none"> · Limited quantities (LQ) 	<p>1L</p>
<ul style="list-style-type: none"> · Excepted quantities (EQ) 	<p>Code: E0 Not permitted as Excepted Quantity</p>
<ul style="list-style-type: none"> · Transport category 	<p>2</p>
<ul style="list-style-type: none"> · Tunnel restriction code 	<p>D</p>
<ul style="list-style-type: none"> · IMDG 	
<ul style="list-style-type: none"> · Limited quantities (LQ) 	<p>1L</p>
<ul style="list-style-type: none"> · Excepted quantities (EQ) 	<p>Code: E0 Not permitted as Excepted Quantity</p>
<ul style="list-style-type: none"> · UN "Model Regulation": 	<p>UN 1950 AEROSOLS, 2.1, ENVIRONMENTALLY HAZARDOUS</p>

SECTION 15: Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture: (Substances not listed)**

None of the ingredients is listed.

(Contd. on page 14)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 04.05.2023

Version number 2.0 (replaces version 1.2)

Revision: 04.05.2023

Trade name: Oilfino Fettspray Weiß

(Contd. of page 13)

- **Directive 2004/42/EC**
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **Seveso category**
P3a FLAMMABLE AEROSOLS
E2 Hazardous to the Aquatic Environment
- **Qualifying quantity (tonnes) for the application of lower-tier requirements** 150 t
- **Qualifying quantity (tonnes) for the application of upper-tier requirements** 500 t
- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3
- **REGULATION (EU) 2019/1148**

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

National regulations:· **VOC (EU)** 492.4 g/l· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Disclaimer

This safety data sheet contains only safety relevant information. The information is based on the state of our knowledge at the time of revision, however, it does not constitute a guarantee of product properties, product information or product specifications and does not establish a contractual legal relationship. This document is only valid in its unchanged form. In the event of changes by third parties, the exhibitor accepts no responsibility for form and content or for any damages or claims arising from such changes. The information is not transferable to other products. If the product named in this safety data sheet is mixed, blended or processed with other materials or is subjected to processing, the information in this safety data sheet cannot be transferred to the new material produced in this way, unless expressly stated otherwise. The data sheet does not release the user from the obligation to ensure that he acts in accordance with all regulations in connection with his

(Contd. on page 15)



Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 04.05.2023

Version number 2.0 (replaces version 1.2)

Revision: 04.05.2023

Trade name: Oilfino Fettspray Weiß

(Contd. of page 14)

activity.

Relevant phrases

- H220 Extremely flammable gas.
- H225 Highly flammable liquid and vapour.
- H280 Contains gas under pressure; may explode if heated.
- H304 May be fatal if swallowed and enters airways.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H336 May cause drowsiness or dizziness.
- H411 Toxic to aquatic life with long lasting effects.
- H413 May cause long lasting harmful effects to aquatic life.

Contact: MSDS authorized Person**Version number of previous version:** 1.2**Abbreviations and acronyms:**

- ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
- IMDG: International Maritime Code for Dangerous Goods
- IATA: International Air Transport Association
- GHS: Globally Harmonised System of Classification and Labelling of Chemicals
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- VOC: Volatile Organic Compounds (USA, EU)
- DNEL: Derived No-Effect Level (UK REACH)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- Flam. Gas 1A: Flammable gases – Category 1A
- Aerosol 1: Aerosols – Category 1
- Press. Gas (Comp.): Gases under pressure – Compressed gas
- Flam. Liq. 2: Flammable liquids – Category 2
- Skin Irrit. 2: Skin corrosion/irritation – Category 2
- Skin Sens. 1B: Skin sensitisation – Category 1B
- STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
- Asp. Tox. 1: Aspiration hazard – Category 1
- Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2
- Aquatic Chronic 4: Hazardous to the aquatic environment - long-term aquatic hazard – Category 4