

Page 1/12

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.10.2023

8 Version number 3.0 (replaces version 2.0)

Revision: 25.10.2023

## SECTION 1: Identification of the substance/mixture and of the company/ undertaking

#### · 1.1 Product identifier

- · Trade name: Oilfino Antifreeze
- **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- Application of the substance / the mixture
- coolant Antifreeze
- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier: oilfino Mineralöl GmbH Werkstr. 12 D- 25497 Prisdorf info@oilfino.com Tel.: +49 (0) 4101 / 79900 www.oilfino.com

#### · Further information obtainable from: Sales

• **1.4 Emergency telephone number:** Poison Information Centre North (Göttingen) Phone +49 (0)551-19240 National Poisons Information Centre: +353 (1) 809 2166 (8.00 a.m. to 10.00 p.m. 7 days a week) Healthcare Professionals: +353 (1) 809 2566 (24 hour service)

## **SECTION 2: Hazards identification**

2.1 Classification of the substance or mixture
 Classification according to Regulation (EC) No 1272/2008



STOT RE 2 H373 May cause damage to the kidneys through prolonged or repeated exposure.



Acute Tox. 4 H302 Harmful if swallowed.

#### · 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

(Contd. on page 2)

GB



Page 2/12

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.10.2023

Version number 3.0 (replaces version 2.0)

Revision: 25.10.2023

Trade name: Oilfino Antifreeze

(Contd. of page 1) · Hazard pictograms GHS07 GHS08 · Signal word Warning · Hazard-determining components of labelling: ethanediol · Hazard statements H302 Harmful if swallowed. H373 May cause damage to the kidneys through prolonged or repeated exposure. · Precautionary statements P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. Read carefully and follow all instructions. P103 Do not breathe dust/fume/gas/mist/vapours/spray. P260 Wash thoroughly after handling. P264 Do not eat, drink or smoke when using this product. P270 P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. P330 Rinse mouth. P314 Get medical advice/attention if you feel unwell. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. · 2.3 Other hazards · Results of PBT and vPvB assessment · **PBT:** Not applicable. · vPvB: Not applicable.

# **SECTION 3: Composition/information on ingredients**

#### · 3.2 Mixtures

 $\cdot$  **Description:** Mixture of substances listed below with nonhazardous additions.

#### · Dangerous components:

CAS: 107-21-1	ethanediol	≥50-≤100%
EINECS: 203-473-3	STOT RE 2, H373; Acute Tox. 4, H302	
Reg.nr.: 01-2119456816-28		
	(C	contd. on page 3)

- GB



Page 3/12

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.10.2023

Version number 3.0 (replaces version 2.0)

Revision: 25.10.2023

#### Trade name: Oilfino Antifreeze

CAS: 17265-14-4 EINECS: 241-300-3 Reg.nr.: 01-2120762063-61

Disodium sebacate Eye Irrit. 2, H319 (Contd. of page 2) ≤2.5%

Additional information: For the wording of the listed hazard phrases refer to section 16.

## **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- · General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: Call for a doctor immediately.
- 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

## **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

• 5.2 Special hazards arising from the substance or mixture

- During heating or in case of fire poisonous gases are produced.
- 5.3 Advice for firefighters
- Protective equipment: Mouth respiratory protective device.

## **SECTION 6: Accidental release measures**

- 6.1 Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
- · 6.2 Environmental precautions:
- Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

(Contd. on page 4)

GB



Page 4/12

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.10.2023

Version number 3.0 (replaces version 2.0)

Revision: 25.10.2023

#### Trade name: Oilfino Antifreeze

(Contd. of page 3)

GR

- 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.
   6.4 Reference to other sections
- See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

· Information about fire - and explosion protection: Keep respiratory protective device available.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:

• Requirements to be met by storerooms and receptacles: No special requirements.

· Information about storage in one common storage facility: Not required.

· Further information about storage conditions: None.

- Storage class (TRGS): 12
- 7.3 Specific end use(s) No further relevant information available.

## **SECTION 8: Exposure controls/personal protection**

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

107-21-1 (	ethanediol	
Dermal	DNEL Long-term – dermal, systemic effects	106 mg/kg_bw/d (Worker)
		53 mg/kg_bw/d (general public)
Inhalative	DNEL long-term - inhalation local effects	35 mg/m³ (Worker)
		7 mg/m³ (general public)
		(Contd. on page §



Page 5/12

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.10.2023

Version number 3.0 (replaces version 2.0)

Revision: 25.10.2023

(Contd of page 4)

### Trade name: Oilfino Antifreeze

	(Contd. of page
PNECs	
107-21-1 ethanediol	
PNEC short term, fresh water	10 mg/l (Aquatic organisms)
PNEC short term, sea water	1 mg/l (Aquatic organisms)
PNEC short term, sewage plant	199.5 mg/l (Aquatic organisms)
PNEC short term fresh water sediment	37 mg/kg (Aquatic organisms)
PNEC short term soil	1.53 mg/kg (teresstric organisms)
PNEC short term sea water sediment	3.7 mg/kg (Aquatic organisms)
PNEC short term, intermittent releases	10 mg/l (Aquatic organisms)
· Additional information: The lists valid	during the making were used as basis.
<ul> <li>exposure use self-contained respiratory</li> <li>Hand protection</li> <li>The glove material has to be imperr</li> <li>preparation.</li> <li>Due to missing tests no recommendate</li> <li>preparation/ the chemical mixture.</li> </ul>	and feed. and of work. on use respiratory filter device. In case of intensive or long
Protective gloves Material of gloves	
•	es not only depend on the material, but also on further man r to manufacturer. As the product is a preparation of seve

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 6)



Page 6/12

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.10.2023

Version number 3.0 (replaces version 2.0)

Revision: 25.10.2023

Trade name: Oilfino Antifreeze

(Contd. of page 5)

• Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection



Tightly sealed goggles

SECTION 9: Physical and chemical properties		
9.1 Information on basic physical and chem	ical properties	
General Information		
Physical state	Fluid	
Colour:	Colourless	
Odour:	Odourless	
Odour threshold:	Not determined.	
Melting point/freezing point:	-12.4 °C	
Boiling point or initial boiling point and		
boiling range	>150 °C	
Flammability	Not applicable.	
Lower and upper explosion limit		
Lower:	3.2 Vol %	
Upper:	53 Vol %	
Flash point:	Not applicable.	
Auto-ignition temperature:	410 °C	
Decomposition temperature:	Not determined.	
pH at 20 °C	8.4	
Viscosity:		
Kinematic viscosity	Not determined.	
Viscosity at 100°C:		
Dynamic:	Not determined.	
Solubility		
water at 20 °C:	1 g/l	
Partition coefficient n-octanol/water (log		
value)	Not determined.	
Vapour pressure at 20 °C:	0.08 hPa	
		(Contd. on page 7



Page 7/12

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.10.2023

Version number 3.0 (replaces version 2.0)

Revision: 25.10.2023

#### Trade name: Oilfino Antifreeze

	(Contd. of page
Density and/or relative density	
Density at 20 °C:	1.1186 g/cm <sup>3</sup>
Relative density	Not determined.
Density (@15°C)	Not determined.
Vapour density	Not determined.
9.2 Other information	
Appearance:	
Form:	Fluid
Important information on protection of hea	alth
and environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Solvent content:	
VOC (EC)	80-95 %
Molecular weight	62.07 g/mol
Change in condition	-
Evaporation rate	Not determined.
Information with regard to physical haz classes	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit	
flammable gases in contact with water	Void
Oxidising liquids	Void
	N / 11
Oxidising solids	Void
	Void Void Void

(Contd. on page 8)

<sup>—</sup> GB



Page 8/12

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.10.2023

Version number 3.0 (replaces version 2.0)

Revision: 25.10.2023

(Contd. of page 7)

#### Trade name: Oilfino Antifreeze

· Desensitised explosives

**SECTION 10: Stability and reactivity** 

- **10.1 Reactivity** No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- $\cdot$  10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- $\cdot$  10.6 Hazardous decomposition products: No dangerous decomposition products known.

## **SECTION 11: Toxicological information**

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Harmful if swallowed.

· LD/LC50 \	values relevant for classification:	
Oral	LD50	mg/kg (rat)
	Acute Toxicity Estimate of ingredient (ATE) oral	500 mg/kg
107-21-1	ethanediol	
Dermal	LD50	>3,500 mg/kg (rat)
Inhalative	LC50(4h) o. Zuordnung	1,995 mg/l (mud)
17265-14-	4 Disodium sebacate	
Oral	LD50	>5,000 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rat)
May cause	eated exposure e damage to the kidneys through prolonged or rep mation on other hazards	peated exposure.
·Endocrine	e disrupting properties	
None of th	e ingredients is listed.	

(Contd. on page 9)

Void



Page 9/12

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.10.2023

Version number 3.0 (replaces version 2.0)

Revision: 25.10.2023

Trade name: Oilfino Antifreeze

(Contd. of page 8)

Aquatic toxicity:	
107-21-1 ethanedic	
LC50 (96h) mg/ltr.	72,830 mg/ltr (Fish, minnows)
EC50 (48h)	100 mg/l (daphnia)
EC50 (96h) mg/ltr	6,500-13,000 mg/ltr (Pseudokirchneriella subcapitata)
17265-14-4 Disodi	um sebacate
LC50 (96h)	>100 mg/l (Fish)
EC50 (48h)	>100 mg/l (daphnia)
EL 50(72h)	38.7 mg/l (algae)
12.2 Persistence a	nd degradability
17265-14-4 Disodiu	um sebacate 89 %
12.5 Results of PB PBT: Not applicable vPvB: Not applicable 12.6 Endocrine dis The product does n 12.7 Other adverse Additional ecologi General notes: Water hazard class Do not allow undill sewage system.	le. srupting properties ot contain substances with endocrine disrupting properties. e effects No further relevant information available.

## SECTION 13: Disposal considerations

### · 13.1 Waste treatment methods

- Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 10)



Page 10/12

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.10.2023

Version number 3.0 (replaces version 2.0)

Revision: 25.10.2023

### Trade name: Oilfino Antifreeze

(Contd. of page 9)

· Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

• Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information	
<ul> <li>14.1 UN number or ID number</li> <li>ADR, IMDG, IATA</li> </ul>	not regulated
<ul> <li>14.2 UN proper shipping name</li> <li>ADR, IMDG, IATA</li> </ul>	not regulated
· 14.3 Transport hazard class(es)	
· ADR, ADN, IMDG, IATA · Class	not regulated
<ul> <li>14.4 Packing group</li> <li>ADR, IMDG, IATA</li> </ul>	not regulated
· 14.5 Environmental hazards:	Not applicable.
· 14.6 Special precautions for user	Not applicable.
<ul> <li>14.7 Maritime transport in bulk accord IMO instruments</li> </ul>	ing to Not applicable.
· UN "Model Regulation":	not regulated

# **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture: (Substances not listed)
 None of the ingredients is listed.
 Poisons Act
 Regulated explosives precursors
 None of the ingredients is listed.

## · Regulated poisons

None of the ingredients is listed.

(Contd. on page 11)

GB



Page 11/12

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.10.2023

Version number 3.0 (replaces version 2.0)

Revision: 25.10.2023

(Contd. of page 10)

#### Trade name: Oilfino Antifreeze

#### · Reportable explosives precursors

None of the ingredients is listed.

- **Reportable poisons** None of the ingredients is listed.
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · National regulations:
- · VOC (EU) 894.9-1,062.7 g/l
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

#### · Disclaimer

This safety data sheet contains only safety relevant information. The information is based on the state of our knowledge at the time of revision, however, it does not constitute a guarantee of product properties, product information or product specifications and does not establish a contractual legal relationship. This document is only valid in its unchanged form. In the event of changes by third parties, the exhibitor accepts no responsibility for form and content or for any damages or claims arising from such changes. The information is not transferable to other products. If the product to processing, the information in this safety data sheet is mixed, blended or processed with other materials or is subjected to processing, the information in this safety data sheet cannot be transferred to the new material produced in this way, unless expressly stated otherwise. The data sheet does not release the user from the obligation to ensure that he acts in accordance with all regulations in connection with his activity.

#### Relevant phrases

H302 Harmful if swallowed.

H319 Causes serious eye irritation.

H373 May cause damage to organs through prolonged or repeated exposure.

#### · Contact: MSDS authorized Person

#### • Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU)

DNEL: Derived No-Effect Level (UK REACH)

(Contd. on page 12)



Page 12/12

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.10.2023

Version number 3.0 (replaces version 2.0)

Revision: 25.10.2023

Trade name: Oilfino Antifreeze

PNEC: Predicted No-Effect Concentration (UK REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity – Category 4 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

\*\* Data compared to the previous version altered.

(Contd. of page 11)

GB