

Page 1/12

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.10.2023

Version number 2.0 (replaces version 1.6)

Revision: 25.10.2023

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

### · 1.1 Product identifier

- · Trade name: Oilfino Antifreeze Long Life
- **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- Application of the substance / the mixture coolant
- Antifreeze
- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier: oilfino Mineralöl GmbH Werkstr. 12 D- 25497 Prisdorf info@oilfino.com Tel.: +49 (0) 4101 / 79900 www.oilfino.com

#### · Further information obtainable from: Sales

• **1.4 Emergency telephone number:** Poison Information Centre North (Göttingen) Phone +49 (0)551-19240 National Poisons Information Centre: +353 (1) 809 2166 (8.00 a.m. to 10.00 p.m. 7 days a week) Healthcare Professionals: +353 (1) 809 2566 (24 hour service)

# **SECTION 2: Hazards identification**

2.1 Classification of the substance or mixture
 Classification according to Regulation (EC) No 1272/2008



STOT RE 2 H373 May cause damage to the kidneys through prolonged or repeated exposure.



Acute Tox. 4 H302 Harmful if swallowed.

#### · 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

(Contd. on page 2)

GB



Page 2/12

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.10.2023

· Hazard pictograms

Version number 2.0 (replaces version 1.6)

Revision: 25.10.2023

# Trade name: Oilfino Antifreeze Long Life

(Contd. of page 1)

· Signal w	vord Warning
ethanedi	
	statements
	armful if swallowed.
	ay cause damage to the kidneys through prolonged or repeated exposure.
	ionary statements
P101	
P102	
P103	
P260	0 1 1 2
P264	Wash thoroughly after handling.
P270	
	312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
P330	
P314	
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.
	er hazards
· Results	of PBT and vPvB assessment
· PBT: No	ot applicable.
· vPvB: N	lot applicable.

### · 3.2 Mixtures

• **Description:** Mixture of substances listed below with nonhazardous additions.

# · Dangerous components:

CAS: 107-21-1	ethanediol	≥50-≤100%
EINECS: 203-473-3	STOT RE 2, H373; Acute Tox. 4, H302	
Reg.nr.: 01-2119456816-28		
		Santal an name O
	(C	contd. on page 3)



Page 3/12

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.10.2023

Version number 2.0 (replaces version 1.6)

Revision: 25.10.2023

### Trade name: Oilfino Antifreeze Long Life

CAS: 17265-14-4 EINECS: 241-300-3 Reg.nr.: 01-2120762063-61

Disodium sebacate Eye Irrit. 2, H319 (Contd. of page 2) ≤2.5%

Additional information: For the wording of the listed hazard phrases refer to section 16.

# **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- · General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: Call for a doctor immediately.
- 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- Suitable extinguishing agents:

Use fire extinguishing methods suitable to surrounding conditions. Foam

Sand

Water haze

CO2, powder or water spray. Fight larger fires with water spray.

- 5.2 Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- 5.3 Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

(Contd. on page 4)

GR



Page 4/12

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.10.2023

Version number 2.0 (replaces version 1.6)

Revision: 25.10.2023

### Trade name: Oilfino Antifreeze Long Life

(Contd. of page 3)

# **SECTION 6: Accidental release measures**

- 6.1 Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
- 6.2 Environmental precautions:
- Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

**6.3 Methods and material for containment and cleaning up:** Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.

• 6.4 Reference to other sections See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

# **SECTION 7: Handling and storage**

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

· Information about fire - and explosion protection: Keep respiratory protective device available.

### · 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

· Requirements to be met by storerooms and receptacles: No special requirements.

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Storage class (TRGS): 10
- 7.3 Specific end use(s) No further relevant information available.

### **SECTION 8: Exposure controls/personal protection**

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

(Contd. on page 5)



Page 5/12

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.10.2023

Version number 2.0 (replaces version 1.6)

Revision: 25.10.2023

### Trade name: Oilfino Antifreeze Long Life

· DNELs			(Contd. of pag
107-21-1 et			
Dermal [	DNEL Long-term – dermal, s	systemic effects	
53 mg/kg_bw/d (general public)			
Inhalative DNEL long-term - inhalation local effects 35 mg/m <sup>3</sup> (Worker)			
			7 mg/m <sup>3</sup> (general public)
PNECs			
107-21-1 et			
	t term, fresh water	10 mg/l (Aquati	c ,
	t term, sea water	1 mg/l (Aquatic	<b>c</b>
	t term, sewage plant		uatic organisms)
PNEC short	t term fresh water sediment	37 mg/kg (Aqua	atic organisms)
PNEC short	t term soil	1.53 mg/kg (ter	esstric organisms)
	t term sea water sediment		iatic organisms)
PNEC short term, intermittent releases 10 mg/l (Aquatic organisms)			
· Additional information: The lists valid during the making were used as basis.			
		during the making	<b>C</b> <i>i</i>
<ul> <li>8.2 Exposu</li> <li>Appropriate</li> <li>Individual p</li> <li>General proket</li> <li>Keep away</li> <li>Wash hand</li> <li>Store protect</li> <li>Respiratory</li> <li>In case of b</li> <li>exposure us</li> <li>Hand protect</li> <li>The glove</li> <li>preparation</li> </ul>	re controls e engineering controls No protection measures, such otective and hygienic mea from foodstuffs, beverages a s before breaks and at the e ctive clothing separately. y protection: orief exposure or low pollution se self-contained respiratory ection material has to be imperr	further data; se <b>n as personal p</b> <b>sures:</b> and feed. end of work. on use respirato protective device meable and res	ing were used as basis. e section 7. <b>rotective equipment</b> ry filter device. In case of intensive or lon ce. sistant to the product/ the substance/
<ul> <li>8.2 Exposu</li> <li>Appropriate</li> <li>Individual propriate</li> <li>General provide</li> <li>General provide</li> <li>Keep away</li> <li>Wash hand</li> <li>Store protect</li> <li>Respiratory</li> <li>In case of been been been been been been been bee</li></ul>	re controls e engineering controls No protection measures, such otective and hygienic mea from foodstuffs, beverages s before breaks and at the e ctive clothing separately. y protection: orief exposure or low pollution se self-contained respiratory ection material has to be imperr sing tests no recommendat / the chemical mixture. f the glove material on cons	further data; se <b>n as personal p</b> <b>sures:</b> and feed. end of work. on use respirato protective device meable and rest tion to the glove	ing were used as basis. e section 7. <b>rotective equipment</b> ry filter device. In case of intensive or lon



Page 6/12

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.10.2023

Version number 2.0 (replaces version 1.6)

Revision: 25.10.2023

# Trade name: Oilfino Antifreeze Long Life

(Contd. of page 5)




Protective gloves

### Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

# • **Penetration time of glove material** The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.





Tightly sealed goggles

9.1 Information on basic physical an General Information	d chemical properties	
Physical state	Fluid	
Colour:	Colourless	
Odour:	Odourless	
Odour threshold:	Not determined.	
Melting point/freezing point:	-12.4 °C	
Boiling point or initial boiling point a	Ind	
boiling range	Undetermined.	
Flammability	Not applicable.	
Lower and upper explosion limit		
Lower:	3.2 Vol %	
Upper:	53 Vol %	
Flash point:	>150 °C	
Auto-ignition temperature:	410 °C	
Decomposition temperature:	Not determined.	
pH at 20 °C	8.4	

GB



Page 7/12

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.10.2023

Version number 2.0 (replaces version 1.6)

Revision: 25.10.2023

### Trade name: Oilfino Antifreeze Long Life

Not determined. Not determined. 1 g/l
Not determined.
1 g/l
1 g/l
-
Not determined.
0.08 hPa
1.1186 g/cm <sup>3</sup>
Not determined.
Not determined.
Not determined.
Fluid
h
Product is not selfigniting.
Product los not present an explosion hazard.
Product does not present an explosion nazaru.
80-95 %
62.07 g/mol
Not determined.
d
Void

(Contd. on page 8)

<sup>—</sup> GB -



Page 8/12

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.10.2023

Version number 2.0 (replaces version 1.6)

Revision: 25.10.2023

# Trade name: Oilfino Antifreeze Long Life

		(Contd. of page 7)
Self-heating substances and mixtures Substances and mixtures, which emit	Void	
flammable gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

# **SECTION 10: Stability and reactivity**

- **10.1 Reactivity** No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

# **SECTION 11: Toxicological information**

• 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 • Acute toxicity Harmful if swallowed.

LD/LC50	values relevant for classification:	
Oral	LD50	mg/kg (rat)
	Acute Toxicity Estimate of ingredient (ATE) oral	500 mg/kg
107-21-1	ethanediol	
Dermal	LD50	>3,500 mg/kg (rat)
Inhalative	LC50(4h) o. Zuordnung	1,995 mg/l (mud)
17265-14-	4 Disodium sebacate	
Oral	LD50	>5,000 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rat)
STOT_ron	eated exposure	

#### STOT-repeated exposure

May cause damage to the kidneys through prolonged or repeated exposure.

(Contd. on page 9)

GB



Page 9/12

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.10.2023

Version number 2.0 (replaces version 1.6)

Revision: 25.10.2023

(Contd. of page 8)

### Trade name: Oilfino Antifreeze Long Life

# · 11.2 Information on other hazards

# · Endocrine disrupting properties

None of the ingredients is listed.

12.1 Toxicity	
Aquatic toxicity:	
107-21-1 ethanedi	ol
LC50 (96h) mg/ltr.	72,830 mg/ltr (Fish, minnows)
EC50 (48h)	100 mg/l (daphnia)
EC50 (96h) mg/ltr	6,500-13,000 mg/ltr (Pseudokirchneriella subcapitata)
17265-14-4 Disodi	um sebacate
LC50 (96h)	>100 mg/l (Fish)
EC50 (48h)	>100 mg/l (daphnia)
EL 50(72h)	38.7 mg/l (algae)
12.2 Persistence a	and degradability
17265-14-4 Disod	um sebacate 89 %
<ul> <li>12.4 Mobility in so</li> <li>12.5 Results of PE</li> <li>PBT: Not applicable</li> <li>vPvB: Not applicable</li> <li>12.6 Endocrine di The product does results</li> <li>12.7 Other adverse</li> <li>Additional ecologe</li> <li>General notes: Water hazard classe</li> </ul>	ble. <b>srupting properties</b> not contain substances with endocrine disrupting properties. <b>e effects</b> No further relevant information available.
sewage system. Self-classification a	according to Annex 1 (to § 4 paragraph 1, § 8 paragraph 1 and § 10 paragraph 2 n Facilities for Handling Substances Hazardous to Water 1, 2 (AwSV).



Page 10/12

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.10.2023

Version number 2.0 (replaces version 1.6)

Revision: 25.10.2023

### Trade name: Oilfino Antifreeze Long Life

(Contd. of page 9)

# **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agents: Water, if necessary together with cleansing agents.

<b>SECTION 14: Transport informa</b>	tion	
· 14.1 UN number or ID number · ADR, IMDG, IATA	not regulated	
<ul> <li>14.2 UN proper shipping name</li> <li>ADR, IMDG, IATA</li> </ul>	not regulated	
14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	not regulated	
14.4 Packing group ADR, IMDG, IATA	not regulated	
14.5 Environmental hazards:	Not applicable.	
14.6 Special precautions for user	Not applicable.	
14.7 Maritime transport in bulk accord IMO instruments	ing to Not applicable.	
UN "Model Regulation":	not regulated	

# SECTION 15: Regulatory information

 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture: (Substances not listed)

None of the ingredients is listed.

(Contd. on page 11)

GB



Page 11/12

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.10.2023

Version number 2.0 (replaces version 1.6)

Revision: 25.10.2023

(Contd. of page 10)

### Trade name: Oilfino Antifreeze Long Life

· Poisons Act

· Regulated explosives precursors

None of the ingredients is listed.

Regulated poisons

None of the ingredients is listed.

· Reportable explosives precursors

None of the ingredients is listed.

#### · Reportable poisons

None of the ingredients is listed.

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

National regulations:

- · VOC (EU) 894.9-1,062.7 g/l
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# **SECTION 16: Other information**

#### Disclaimer

This safety data sheet contains only safety relevant information. The information is based on the state of our knowledge at the time of revision, however, it does not constitute a guarantee of product properties, product information or product specifications and does not establish a contractual legal relationship. This document is only valid in its unchanged form. In the event of changes by third parties, the exhibitor accepts no responsibility for form and content or for any damages or claims arising from such changes. The information is not transferable to other products. If the product named in this safety data sheet is mixed, blended or processed with other materials or is subjected to processing, the information in this safety data sheet cannot be transferred to the new material produced in this way, unless expressly stated otherwise. The data sheet does not release the user from the obligation to ensure that he acts in accordance with all regulations in connection with his activity.

#### · Relevant phrases

H302 Harmful if swallowed.

H319 Causes serious eye irritation.

H373 May cause damage to organs through prolonged or repeated exposure.

- **Contact:** MSDS authorized Person
- Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)



Page 12/12

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.10.2023

Version number 2.0 (replaces version 1.6)

Revision: 25.10.2023

### Trade name: Oilfino Antifreeze Long Life

(Contd. of page 11)

GB

IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) DNEL: Derived No-Effect Level (UK REACH) PNEC: Predicted No-Effect Concentration (UK REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic VPVB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity – Category 4 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2 * * Data compared to the previous version altered.	Conte
Data compared to the previous version altered.	