



Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 11.07.2021

Version number 1.7

Revision: 11.07.2021

**SECTION 1: Identification of the substance/mixture and of the company/
undertaking**

- **Product identifier**
- **Trade name: Oilfino Sponte ATF Multi**
- **Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
- **Application of the substance / the mixture** Engine oil
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
oilfino Mineralöl GmbH
Werkstr. 12
D- 25497 Prisdorf
info@oilfino.com
Tel.: +49 (0) 4101 / 79900
www.oilfino.com
- **Further information obtainable from:** Sales
- **Emergency telephone number:**
Gift-Informationszentrum Nord (Göttingen)
Telefon +49 (0)551-19240

SECTION 2: Hazards identification

- **Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**
Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- **Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**
The product is classified and labelled according to the CLP regulation.
- **Hazard pictograms** Void
- **Signal word** Void
- **Hazard statements**
H412 Harmful to aquatic life with long lasting effects.
- **Precautionary statements**
P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P103 Read carefully and follow all instructions.
P273 Avoid release to the environment.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 11.07.2021

Version number 1.7

Revision: 11.07.2021

Trade name: Oilfino Sponte ATF Multi

(Contd. of page 1)

- **Additional information:**

EUH 208: Contains Amine, Dikokoalkyl, Reaktionsansätze mit Hydroxyessigsäure. [EG-Nr: 471-920-1], 1,2-Propanediol, 3-amino-, N,N-dicoco alkyl deriv. [EG-Nr: 482-000-4], 1-(tert-Dodecylthio)propan-2-ol, Benzol, Polypropylen-Derivate, sulfonierte, Calciumsalze, C14-18 alpha-Olefinepoxid, Reaktionsprodukte mit Borsäure. May produce an allergic reaction.

- **Other hazards**

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- **Chemical characterisation: Mixtures**

- **Description:** Mixture of substances listed below with nonhazardous additions.

- **Dangerous components:**

CAS: 64742-55-8 EINECS: 265-158-7	Distillates (petroleum), hydrotreated light paraffinic Asp. Tox. 1, H304	≥25-≤100%
CAS: 398141-87-2	thiophene, tetrahydro-, 1,1-dioxide,3-(C9-11-isoalkyloxy) derivs., C10-rich Aquatic Chronic 2, H411	≥2.5-≤10%
ELINCS: 471-920-1	Amine, Dikokoalkyl, Reaktionsansätze mit Hydroxyessigsäure. [EG-Nr: 471-920-1] Skin Sens. 1B, H317	≥0.1-<1%
ELINCS: 482-000-4	1,2-Propanediol, 3-amino-, N,N-dicoco alkyl deriv. [EG-Nr: 482-000-4] Skin Sens. 1B, H317; Aquatic Chronic 3, H412	≥0.1-<1%
CAS: 67124-09-8 EINECS: 266-582-5	1-(tert-Dodecylthio)propan-2-ol Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Sens. 1B, H317	≥0.25-<1%
CAS: 122-39-4 EINECS: 204-539-4	diphenylamine Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331; STOT RE 2, H373; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Eye Irrit. 2, H319	≥0.025-<0.25%
CAS: 75975-85-8	Benzol, Polypropylen-Derivate, sulfonierte, Calciumsalze Skin Sens. 1B, H317	≥0.1-<1%
EC number: 939-580-3	C14-18 alpha-Olefinepoxid, Reaktionsprodukte mit Borsäure Skin Sens. 1B, H317	≥0.1-<1%

(Contd. on page 3)



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 11.07.2021

Version number 1.7

Revision: 11.07.2021

Trade name: Oilfino Sponte ATF Multi

(Contd. of page 2)		
CAS: 95-38-5 EINECS: 204-414-9	2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol STOT RE 2, H373; Skin Corr. 1C, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Acute Tox. 4, H302	≥0.025-<0.25%
CAS: 1218787-32-6 EC number: 620-540-6	2,2'-(C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol Skin Corr. 1C, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 2, H411; Acute Tox. 4, H302	≥0.025-<0.25%

Additional information:

Classification as a carcinogen is not compulsory if mineral oils in this mixture contain less than 3 % DMSO extract, according to IP 346 method.
For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures**Description of first aid measures**

- **After skin contact:** Generally the product does not irritate the skin.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** If symptoms persist consult doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed**
No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

SECTION 5: Firefighting measures**Extinguishing media****Suitable extinguishing agents:**

Use fire extinguishing methods suitable to surrounding conditions.

Foam

Sand

Water haze

CO₂, powder or water spray. Fight larger fires with water spray.

- **Special hazards arising from the substance or mixture** No further relevant information available.

(Contd. on page 4)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 11.07.2021

Version number 1.7

Revision: 11.07.2021

Trade name: Oilfino Sponte ATF Multi

(Contd. of page 3)

- **Advice for firefighters**
- **Protective equipment:** No special measures required.

SECTION 6: Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:**
Do not allow product to reach sewage system or any water course.
Inform respective authorities in case of seepage into water course or sewage system.
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to item 13.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

- **Handling:**
- **Precautions for safe handling** No special precautions are necessary if used correctly.
- **Information about fire - and explosion protection:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **Storage class (TRGS):** 10
- **Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.

(Contd. on page 5)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 11.07.2021

Version number 1.7

Revision: 11.07.2021

Trade name: Oilfino Sponte ATF Multi

(Contd. of page 4)

- **Control parameters**

- **Ingredients with limit values that require monitoring at the workplace:**

122-39-4 diphenylamine

WEL	Short-term value: 20 mg/m ³ Long-term value: 10 mg/m ³
-----	---

- **DNELs**

64742-55-8 Distillates (petroleum), hydrotreated light paraffinic

Dermal	DNEL Long-term – dermal, systemic effects	1 mg/kg_bw/day (Worker)
Inhalative	DNEL Long-term – inhalation, systemic effects	2.7 mg/m ³ /day (Worker)

398141-87-2 thiophene, tetrahydro-, 1,1-dioxide,3-(C9-11-isoalkyloxy) derivs., C10-rich

Oral	DNEL Long-term - oral, systemic effects	0.4 mg/kg_bw/day (general public)
Dermal	DNEL Long-term – dermal, systemic effects	44 mg/kg_bw/day (Worker)
		22 mg/kg_bw/day (general public)
Inhalative	DNEL Long-term – inhalation, systemic effects	3.1 mg/m ³ /day (Worker) 0.8 mg/m ³ /day (general public)

Amine, Dikokoalkyl, Reaktionsansätze mit Hydroxyessigsäure. [EG-Nr: 471-920-1]

Dermal	DNEL Acute - dermal, local effects	0.417 mg/kg (Worker)
--------	------------------------------------	----------------------

67124-09-8 1-(tert-Dodecylthio)propan-2-ol

Dermal	DNEL Long-term – dermal, systemic effects	3.34 mg/kg_bw/day (Worker)
Inhalative	DNEL Long-term – dermal, local effects	0.215 mg/kg bw/day (Worker)
		11.8 mg/m ³ /day (Worker)

C14-18 alpha-Olefinepoxid, Reaktionsprodukte mit Borsäure

Dermal	DNEL Long-term – dermal, systemic effects	16.7 mg/kg_bw/day (Worker)
Inhalative	DNEL long-term - inhalation local effects	5.88 mg/m ³ (Worker)

1218787-32-6 2,2'-(C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol

Dermal	DNEL Long-term – dermal, systemic effects	0.3 mg/kg_bw/day (Worker) 0.214 mg/kg_bw/day (general public)
Inhalative	DNEL Long-term – inhalation, systemic effects	2.112 mg/m ³ /day (Worker) 0.745 mg/m ³ /day (general public)

- **PNECs**

64742-55-8 Distillates (petroleum), hydrotreated light paraffinic

PNEC secondary poisoning	9.33 mg/kg KG/d
--------------------------	-----------------

(Contd. on page 6)



Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 11.07.2021

Version number 1.7

Revision: 11.07.2021

Trade name: Oilfino Sponte ATF Multi

(Contd. of page 5)

398141-87-2 thiophene, tetrahydro-, 1,1-dioxide,3-(C9-11-isoalkyloxy) derivs., C10-rich

PNEC short term, fresh water	0.002 mg/l (Aquatic organisms)
PNEC short term, sea water	0.0002 mg/l (Aquatic organisms)
PNEC short term, sewage plant	100 mg/l (Microorganism)
PNEC short term fresh water sediment	0.435 mg/kg (Aquatic organisms)
PNEC short term sea water sediment	0.435 mg/kg (Aquatic organisms)
PNEC secondary poisoning	6.66 mg/kg KG/d (Aquatic organisms)

Amine, Dikokoalkyl, Reaktionsansätze mit Hydroxyessigsäure. [EG-Nr: 471-920-1]

PNEC short term, fresh water	0.4 mg/l (Aquatic organisms)
PNEC short term, sea water	0.04 mg/l (Aquatic organisms)
PNEC short term, sewage plant	100 mg/l (Aquatic organisms)
PNEC short term fresh water sediment	17,100 mg/kg (Aquatic organisms)
PNEC short term soil	3,416 mg/kg (terrestrial organisms)
PNEC short term sea water sediment	1,710 mg/kg (Aquatic organisms)

67124-09-8 1-(tert-Dodecylthio)propan-2-ol

PNEC short term, fresh water	0.006 mg/l (Aquatic organisms)
PNEC short term, sea water	0.001 mg/l (Aquatic organisms)
PNEC short term fresh water sediment	8.28 mg/kg (Aquatic organisms)
PNEC short term soil	33.33 mg/kg (terrestrial organisms)
PNEC short term sea water sediment	0.828 mg/kg (Aquatic organisms)

C14-18 alpha-Olefinepoxid, Reaktionsprodukte mit Borsäure

PNEC short term, fresh water	0.2 mg/l (Aquatic organisms)
PNEC short term, sea water	0.02 mg/l (Aquatic organisms)
PNEC short term fresh water sediment	8,556 mg/kg (Aquatic organisms)
PNEC short term soil	1,706.3 mg/kg (terrestrial organisms)

1218787-32-6 2,2'-(C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol

PNEC short term, fresh water	0.000214 mg/l (Aquatic organisms)
PNEC short term, sea water	0.000021 mg/l (Aquatic organisms)
PNEC short term, sewage plant	1.5 mg/l (Aquatic organisms)
PNEC short term fresh water sediment	1.692 mg/kg (Aquatic organisms)
PNEC short term soil	5 mg/kg (terrestrial organisms)
PNEC short term sea water sediment	0.169 mg/kg (Aquatic organisms)

(Contd. on page 7)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 11.07.2021

Version number 1.7

Revision: 11.07.2021

Trade name: Oilfino Sponte ATF Multi

(Contd. of page 6)

- **Additional information:** The lists valid during the making were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:** Wash hands before breaks and at the end of work.
- **Respiratory protection:** Not required.
- **Protection of hands:**
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- **Material of gloves**
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:** Goggles recommended during refilling

SECTION 9: Physical and chemical properties

- **Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**

Form:	Fluid
Colour:	Red
- **Odour:** Characteristic
- **Odour threshold:** Not determined.
- **pH-value:** Not determined.
- **Change in condition**

Melting point/freezing point:	-54 °C
Initial boiling point and boiling range:	Undetermined.
- **Flash point:** 210 °C

(Contd. on page 8)



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 11.07.2021

Version number 1.7

Revision: 11.07.2021

Trade name: Oilfino Sponte ATF Multi

(Contd. of page 7)

· Flammability (solid, gas):	Not applicable.
· Decomposition temperature:	Not determined.
· Auto-ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapour pressure:	Not determined.
· Density at 20 °C:	0.851 g/cm ³
· Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with water:	Not miscible or difficult to mix.
· Partition coefficient: n-octanol/water:	Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic at 40 °C:	36 mm ² /s
· Solvent content:	
VOC (EC)	0.00 %
Solids content:	0.0 %
· Other information	No further relevant information available.

SECTION 10: Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.

(Contd. on page 9)



Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 11.07.2021

Version number 1.7

Revision: 11.07.2021

Trade name: Oilfino Sponte ATF Multi

(Contd. of page 8)

· **Hazardous decomposition products:** No dangerous decomposition products known.

SECTION 11: Toxicological information

- **Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.

- **LD/LC50 values relevant for classification:**

ATE (Acute Toxicity Estimates)

Oral	LD50	>50,000-100,000 mg/kg
Dermal	LD50	>150,000-300,000 mg/kg (rabbit)
Inhalative	LD50	>250-500 mg/kg

64742-55-8 Distillates (petroleum), hydrotreated light paraffinic

Oral	LD50	>5,000 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rabbit)

398141-87-2 thiophene, tetrahydro-, 1,1-dioxide,3-(C9-11-isoalkyloxy) derivs., C10-rich

Oral	LD50	10 mg/kg (rat)
Dermal	LD50	>4,000 mg/kg (rabbit)

Amine, Dikokoalkyl, Reaktionsansätze mit Hydroxyessigsäure. [EG-Nr: 471-920-1]

Oral	LD50	>2,000 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rabbit)

1,2-Propanediol, 3-amino-, N,N-dicoco alkyl deriv. [EG-Nr: 482-000-4]

Oral	LD50	>2,500 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rabbit)

67124-09-8 1-(tert-Dodecylthio)propan-2-ol

Oral	LD50	>5,000 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rabbit)

122-39-4 diphenylamine

Oral	LD50	100 mg/kg (rat)
Dermal	LD50	300 mg/kg (rabbit)

C14-18 alpha-Olefinepoxid, Reaktionsprodukte mit Borsäure

Oral	LD50	>16,000 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rabbit)

(Contd. on page 10)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 11.07.2021

Version number 1.7

Revision: 11.07.2021

Trade name: Oilfino Sponte ATF Multi

(Contd. of page 9)

1218787-32-6 2,2'-(C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol

Oral	LD50	1,200 mg/kg (rat)
------	------	-------------------

- **Primary irritant effect:**
- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Additional toxicological information:**
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· Toxicity

· Aquatic toxicity:

64742-55-8 Distillates (petroleum), hydrotreated light paraffinic

LC50 (96h) mg/ltr.	>100 mg/ltr (Pimephales promelas)
EC50 (48h)	>10,000 mg/l (Daphnia magna)
NOEC	100 mg/ml /3d (algae)
	10 mg/ml /21d (Daphnia magna)

Amine, Dikokoalkyl, Reaktionsansätze mit Hydroxyessigsäure. [EG-Nr: 471-920-1]

LC50 (96h) mg/ltr.	0.75 mg/ltr (Oncorhynchus mykiss)
LC50 (48h) mg/ltr	0.21 mg/ltr (Daphnia magna)
ErC (72h)	16 mg/l (desmodesmus subspicatus)
NOEC	56 mg/ml (Daphnia magna)

1,2-Propanediol, 3-amino-, N,N-dicoco alkyl deriv. [EG-Nr: 482-000-4]

LC50 (96h) mg/ltr.	>100 mg/ltr (Oncorhynchus mykiss)
EC50 (48h)	230 mg/ltr. (Daphnia magna)
ErC (72h)	16 mg/l (desmodesmus subspicatus)

(Contd. on page 11)



Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 11.07.2021

Version number 1.7

Revision: 11.07.2021

Trade name: Oilfino Sponte ATF Multi

(Contd. of page 10)

67124-09-8 1-(tert-Dodecylthio)propan-2-ol

LC50 (96h) mg/ltr.	0.75 mg/ltr (Oncorhynchus mykiss)
EC50 (48h)	0.58 mg/l (Daphnia magna)
ErC (72h)	100 mg/l (desmodesmus subspicatus)
NOEC	0.32 mg/ml / (21d) (Daphnia magna)

122-39-4 diphenylamine

LC50 (96h) mg/ltr.	3.79 mg/ltr (Fish)
EC50 (72h)	0.18 mg/l (algae)
EC50 (96h) mg/ltr	115 mg/ltr (daphnia)

C14-18 alpha-Olefinepoxid, Reaktionsprodukte mit Borsäure

LC50 (96h) mg/ltr.	100 mg/ltr (Oncorhynchus mykiss)
EC50 (48h)	>100 mg/l (Daphnia magna)
ErC (72h)	>100 mg/l (Pseudokirchneriella subcapitata)
NOEC	10 mg/ml /21d (Daphnia magna)

95-38-5 2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol

EC50 (72h)	0.03 mg/l (algae)
EC50 (96h) mg/ltr	0.3 mg/ltr (Fish)
	0.163 mg/ltr (daphnia)
NOEC	0.014 mg/ml /chronic (algae)

1218787-32-6 2,2'-(C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol

LC50 (96h) mg/ltr.	0.3 mg/ltr (Fish)
EC50 (72h)	0.03 mg/l (algae)
	0.0169 mg/l (desmodesmus subspicatus)
EC50 (96h) mg/ltr	163 mg/ltr (daphnia)
NOEC	0.014 mg/ml /chronic (algae)

Persistence and degradability

64742-55-8	Distillates (petroleum), hydrotreated light paraffinic	31 (28d) %
398141-87-2	thiophene, tetrahydro-, 1,1-dioxide,3-(C9-11-isoalkyloxy) derivs., C10-rich	9,6 (28d) %
67124-09-8	1-(tert-Dodecylthio)propan-2-ol	5,9 (28d) %

(Contd. on page 12)



Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 11.07.2021

Version number 1.7

Revision: 11.07.2021

Trade name: Oilfino Sponte ATF Multi

(Contd. of page 11)

1471314-23-4	C 14 - 18 alpha-Olefin epoxid, Reaktionsprodukte mit Borsäure	26,7 (28d) %
1218787-32-6	2,2'-(C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol	52 (28d) %

· **Behaviour in environmental systems:**

· **Bioaccumulative potential**

64742-55-8	Distillates (petroleum), hydrotreated light paraffinic	>3,5
398141-87-2	thiophene, tetrahydro-, 1,1-dioxide,3-(C9-11-isoalkyloxy) derivs., C10-rich	4,1
122-39-4	diphenylamine	3,4

· **Mobility in soil** No further relevant information available.

· **Ecotoxic effects:**

· **Remark:** Harmful to fish

· **Additional ecological information:**

· **General notes:**

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Harmful to aquatic organisms

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **Other adverse effects** No further relevant information available.

SECTION 13: Disposal considerations

· **Waste treatment methods**

· **Recommendation**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· **Uncleaned packaging:**

· **Recommendation:** Disposal must be made according to official regulations.

GB

(Contd. on page 13)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 11.07.2021

Version number 1.7

Revision: 11.07.2021

Trade name: Oilfino Sponte ATF Multi

(Contd. of page 12)

SECTION 14: Transport information

· UN-Number · ADR, IMDG, IATA	not regulated
· UN proper shipping name · ADR, IMDG, IATA	not regulated
· Transport hazard class(es) · ADR, ADN, IMDG, IATA · Class	not regulated
· Packing group · ADR, IMDG, IATA	not regulated
· Environmental hazards:	Not applicable.
· Special precautions for user	Not applicable.
· Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable.
· UN "Model Regulation":	not regulated

SECTION 15: Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- Directive 2012/18/EU
- Named dangerous substances - ANNEX I None of the ingredients is listed.
- National regulations:
- VOC (EU) 0.0 g/l
- Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

- Disclaimer
This safety data sheet contains only safety relevant information. The information is based on the state of our knowledge at the time of revision, however, it does not constitute a guarantee of product properties, product information or product specifications and does not establish a contractual legal relationship. This document is only valid in its unchanged form. In the event of changes by third

(Contd. on page 14)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 11.07.2021

Version number 1.7

Revision: 11.07.2021

Trade name: Oilfino Sponte ATF Multi

(Contd. of page 13)

parties, the exhibitor accepts no responsibility for form and content or for any damages or claims arising from such changes. The information is not transferable to other products. If the product named in this safety data sheet is mixed, blended or processed with other materials or is subjected to processing, the information in this safety data sheet cannot be transferred to the new material produced in this way, unless expressly stated otherwise. The data sheet does not release the user from the obligation to ensure that he acts in accordance with all regulations in connection with his activity.

Relevant phrases

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

Department issuing SDS: Quality Management department**Contact:** MSDS authorized Person**Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 3: Acute toxicity – Category 3

Acute Tox. 4: Acute toxicity – Category 4

Skin Corr. 1C: Skin corrosion/irritation – Category 1C

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

(Contd. on page 15)



Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 11.07.2021

Version number 1.7

Revision: 11.07.2021

Trade name: Oilfino Sponte ATF Multi

(Contd. of page 14)

Skin Sens. 1B: Skin sensitisation – Category 1B

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

Asp. Tox. 1: Aspiration hazard – Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

*** Data compared to the previous version altered.**

GB