



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.02.2021

Version number 1.2

Revision: 25.02.2021

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- **Product identifier**
- **Trade name: Oilfino Cut 7050+**
- **UFI:** QVJ0-F0D5-P00N-E458
- **Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
- **Application of the substance / the mixture** Coolant/ Cutting solution
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
oilfino Mineralöl GmbH
Werkstr. 12
D- 25497 Prisdorf
info@oilfino.com
Tel.: +49 (0) 4101 / 79900
www.oilfino.com
- **Further information obtainable from:** Sales
- **Emergency telephone number:**
Gift-Informationszentrum Nord (Göttingen)
Telefon +49 (0)551-19240

SECTION 2: Hazards identification

- **Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**



GHS06 skull and crossbones

Acute Tox. 3 H331 Toxic if inhaled.



GHS07

Eye Irrit. 2 H319 Causes serious eye irritation.

- **Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**
The product is classified and labelled according to the CLP regulation.

(Contd. on page 2)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.02.2021

Version number 1.2

Revision: 25.02.2021

Trade name: Oilfino Cut 7050+

(Contd. of page 1)

· Hazard pictograms

GHS06

· Signal word Danger**· Hazard-determining components of labelling:**

3-Iodo-2-propynylbutylcarbamate

· Hazard statements

H331 Toxic if inhaled.

H319 Causes serious eye irritation.

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear eye protection / face protection.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· Additional information:

Contains 3-Iodo-2-propynylbutylcarbamate. May produce an allergic reaction.

· Other hazards**· Results of PBT and vPvB assessment****· PBT:** Not applicable.**· vPvB:** Not applicable.**SECTION 3: Composition/information on ingredients****· Chemical characterisation: Mixtures****· Description:** Mixture of substances listed below with nonhazardous additions.

(Contd. on page 3)



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 25.02.2021

Version number 1.2

Revision: 25.02.2021

Trade name: Oilfino Cut 7050+

(Contd. of page 2)

· Dangerous components:

CAS: 64742-53-6 EINECS: 265-156-6	Distillates (petroleum), hydrotreated light naphthenic Asp. Tox. 1, H304	≥25-≤50%
CAS: 105-59-9 EINECS: 203-312-7	2,2'-(methylimino)diethanol Eye Irrit. 2, H319	≥0-<10%
CAS: 112-34-5 EINECS: 203-961-6	2-(2-butoxyethoxy)ethanol Eye Irrit. 2, H319	≥0-<10%
CAS: 9011-05-6	Urea, polymer with formaldehyde Skin Irrit. 2, H315; Eye Irrit. 2, H319	≥0-<10%
CAS: 3586-55-8 EINECS: 222-720-6	(Ethylendioxy)dimethanol Eye Dam. 1, H318; Acute Tox. 4, H302; Skin Irrit. 2, H315	≥1-<3%
CAS: 10043-35-3 EINECS: 233-139-2	boric acid Repr. 1B, H360FD Specific concentration limit: Repr. 1B; H360: C ≥ 5.5 %	≤2.5%
CAS: 55406-53-6 EINECS: 259-627-5	3-Iodo-2-propynylbutylcarbamate Acute Tox. 3, H331; STOT RE 1, H372; Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Acute Tox. 4, H302; Skin Sens. 1, H317	≥0.1-<0.25%

· SVHC

10043-35-3 | boric acid

· Additional information:

Classification as a carcinogen is not compulsory if mineral oils in this mixture contain less than 3 % DMSO extract, according to IP 346 method.
For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· Description of first aid measures**· General information:**

Immediately remove any clothing soiled by the product.
Remove breathing equipment only after contaminated clothing have been completely removed.
In case of irregular breathing or respiratory arrest provide artificial respiration.

· After inhalation:

Supply fresh air or oxygen; call for doctor.
In case of unconsciousness place patient stably in side position for transportation.

· After skin contact: Immediately wash with water and soap and rinse thoroughly.

(Contd. on page 4)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.02.2021

Version number 1.2

Revision: 25.02.2021

Trade name: Oilfino Cut 7050+

(Contd. of page 3)

- **After eye contact:**
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:** If symptoms persist consult doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed**
No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

SECTION 5: Firefighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** Mouth respiratory protective device.

SECTION 6: Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

- **Handling:**
- **Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
Open and handle receptacle with care.
Prevent formation of aerosols.

(Contd. on page 5)



Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 25.02.2021

Version number 1.2

Revision: 25.02.2021

Trade name: Oilfino Cut 7050+

(Contd. of page 4)

- **Information about fire - and explosion protection:** Keep respiratory protective device available.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep container tightly sealed.
- **Storage class (TRGS):** 6.1 D
- **Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.
- **Control parameters**

· **Ingredients with limit values that require monitoring at the workplace:**

112-34-5 2-(2-butoxyethoxy)ethanol

WEL	Short-term value: 101.2 mg/m ³ , 15 ppm Long-term value: 67.5 mg/m ³ , 10 ppm
-----	--

· **DNELs**

64742-53-6 Distillates (petroleum), hydrotreated light naphthenic

Inhalative	DNEL long-term - inhalation local effects	5.4 mg/m ³ (Aquatic organisms) 5.4 mg/m ³ (Worker)
------------	---	---

105-59-9 2,2'-(methylimino)diethanol

Oral	DNEL Long-term - oral, systemic effects	1.9 mg/kg_bw/day (general public)
Dermal	DNEL Long-term – dermal, systemic effects	19 mg/kg_bw/day (Worker) 9.4 mg/kg_bw/day (general public)
Inhalative	DNEL Long-term – inhalation, systemic effects	26 mg/m ³ /day (Worker) 6.5 mg/m ³ /day (general public)

112-34-5 2-(2-butoxyethoxy)ethanol

Oral	DNEL Long-term - oral, systemic effects	5 mg/kg_bw/day (general public)
Dermal	DNEL Long-term – dermal, systemic effects	83 mg/kg_bw/day (Worker) 50 mg/kg_bw/day (general public)
Inhalative	DNEL long-term - inhalation local effects	67.5 mg/m ³ (Worker) 40.5 mg/m ³ (general public)

(Contd. on page 6)



Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 25.02.2021

Version number 1.2

Revision: 25.02.2021

Trade name: Oilfino Cut 7050+

(Contd. of page 5)

	DNEL Long-term – inhalation, systemic effects	67.5 mg/m ³ /day (Worker) 40.5 mg/m ³ /day (general public)
	DNEL Acute - inhalation, local effects	101.2 mg/m ³ (Worker) 60.7 mg/m ³ (general public)

10043-35-3 boric acid

Oral	DNEL Long-term - oral, systemic effects	0.98 mg/kg_bw/day (general public)
	DNEL Acute - oral, systemic effects	0.98 mg/kg_bw/day (general public)
Dermal	DNEL Long-term – dermal, systemic effects	196 mg/kg_bw/day (general public)
Inhalative	DNEL Long-term – inhalation, systemic effects	8.3 mg/m ³ /day (Worker) 4.15 mg/m ³ /day (general public)

· PNECs

105-59-9 2,2'-(methylimino)diethanol

PNEC short term, fresh water	0.1 mg/l (Aquatic organisms)
PNEC short term, sea water	0.0125 mg/l (Aquatic organisms)
PNEC short term, sewage plant	10 mg/l (Aquatic organisms)
PNEC short term fresh water sediment	0.89 mg/kg (Aquatic organisms)
PNEC short term soil	0.119 mg/kg (terrestrial organisms)
PNEC short term sea water sediment	0.111 mg/kg (Aquatic organisms)

112-34-5 2-(2-butoxyethoxy)ethanol

PNEC Predicted No Effect Concentration Sea Water	0.11 mg/ltr (Aquatic organisms)
PNEC short term, fresh water	1.1 mg/l (Aquatic organisms)
PNEC short term, sewage plant	200 mg/l (Aquatic organisms)
PNEC short term fresh water sediment	4.4 mg/kg (Aquatic organisms)
PNEC short term soil	0.32 mg/kg (terrestrial organisms)
PNEC short term sea water sediment	0.44 mg/kg (Aquatic organisms)
PNEC short term, intermittent releases	11 mg/l (Aquatic organisms)
PNEC secondary poisoning	56 mg/kg KG/d (Aquatic organisms)

10043-35-3 boric acid

PNEC short term, sea water	1.35 mg/l (Aquatic organisms)
PNEC short term, sewage plant	1.75 mg/l (Aquatic organisms)
PNEC short term fresh water sediment	1.8 mg/kg (Aquatic organisms)
PNEC short term, intermittent releases	9.1 mg/l (Aquatic organisms)

(Contd. on page 7)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.02.2021

Version number 1.2

Revision: 25.02.2021

Trade name: Oilfino Cut 7050+

(Contd. of page 6)

- **Additional information:** The lists valid during the making were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
 - Keep away from foodstuffs, beverages and feed.
 - Immediately remove all soiled and contaminated clothing
 - Wash hands before breaks and at the end of work.
 - Store protective clothing separately.
 - Avoid contact with the eyes.
 - Avoid contact with the eyes and skin.
- **Respiratory protection:**
 - In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 8)

GB



Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 25.02.2021

Version number 1.2

Revision: 25.02.2021

Trade name: Oilfino Cut 7050+

(Contd. of page 7)

· Eye protection:

Tightly sealed goggles

SECTION 9: Physical and chemical properties**· Information on basic physical and chemical properties****· General Information****· Appearance:**

· Form:	Fluid
· Colour:	Yellow
· Odour:	Characteristic
· Odour threshold:	Not determined.

· pH-value at 20 °C: 9-9.4**· Change in condition**

· Melting point/freezing point:	Undetermined.
· Initial boiling point and boiling range:	Undetermined.

· Flash point: Not applicable.**· Flammability (solid, gas):** Not applicable.**· Decomposition temperature:** Not determined.**· Auto-ignition temperature:** Product is not selfigniting.**· Explosive properties:** Product does not present an explosion hazard.**· Explosion limits:**

· Lower:	3.2 Vol %
· Upper:	53 Vol %

· Vapour pressure: Not determined.**· Density at 20 °C:** 1.004 g/cm³**· Relative density** Not determined.**· Vapour density** Not determined.**· Evaporation rate** Not determined.

(Contd. on page 9)



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 25.02.2021

Version number 1.2

Revision: 25.02.2021

Trade name: Oilfino Cut 7050+

(Contd. of page 8)

· Solubility in / Miscibility with water at 20 °C:	1.000 g/l
· Partition coefficient: n-octanol/water:	Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic at 40 °C:	29 mm ² /s
· Solvent content:	
Organic solvents:	1-<5 %
VOC (EC)	1-<5 %
Solids content:	0.0 %
· Other information	No further relevant information available.

SECTION 10: Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

SECTION 11: Toxicological information

- **Information on toxicological effects**
- **Acute toxicity**
Toxic if inhaled.

- **LD/LC50 values relevant for classification:**

ATE (Acute Toxicity Estimates)

Oral	LD50	>25,367-76,100 mg/kg
Inhalative	LC50 (4h)	>10-19.9 mg/l (rat)

(Contd. on page 10)



Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 25.02.2021

Version number 1.2

Revision: 25.02.2021

Trade name: Oilfino Cut 7050+

(Contd. of page 9)

64742-53-6 Distillates (petroleum), hydrotreated light naphthenic		
Oral	LD50	>5,000 mg/kg (rat)
Dermal	LD50	>5,000 mg/kg (rabbit)
Inhalative	LC50 (4h)	>5 mg/l (rat)
105-59-9 2,2'-(methylimino)diethanol		
Oral	LD50	4,780 mg/kg (rat)
112-34-5 2-(2-butoxyethoxy)ethanol		
Oral	LD50	2,410 mg/kg (mouse) 3,384 mg/kg (rat)
Dermal	LD50	2,764 mg/kg (rabbit)
9011-05-6 Urea, polymer with formaldehyde		
Oral	LD50	8,394 mg/kg (rat)
3586-55-8 (Ethylendioxy)dimethanol		
Oral	LD50	761 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rabbit)
10043-35-3 boric acid		
Oral	LD50	2,660 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rabbit)
55406-53-6 3-Iodo-2-propynylbutylcarbamate		
Oral	LD50	1,470 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rat)
Inhalative	LC50 (4h)	5.89 mg/l (rat)

- **Primary irritant effect:**
- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation**
Causes serious eye irritation.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Additional toxicological information:**
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.

(Contd. on page 11)

GB



Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 25.02.2021

Version number 1.2

Revision: 25.02.2021

Trade name: Oilfino Cut 7050+

(Contd. of page 10)

· **Aspiration hazard** Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· **Toxicity**

· **Aquatic toxicity:**

64742-53-6 Distillates (petroleum), hydrotreated light naphthenic

EL50 (48h)	>100 mg/l (algae)
EC10 (72h)	>100 mg/ltr. (mic)
LL50 (48h)	>100 mg/l (FS1)

112-34-5 2-(2-butoxyethoxy)ethanol

LC50 (96h) mg/ltr.	1,300 mg/ltr (Fish)
EC50 (48h)	>100 mg/l (daphnia)
EC50 (96h) mg/ltr	>100 mg/ltr (algae)

10043-35-3 boric acid

EC50 (48h)	658-875 mg/l (daphnia)
------------	------------------------

55406-53-6 3-Iodo-2-propynylbutylcarbamate

LC50 (96h) mg/ltr.	0.145 mg/ltr (rainbow trout)
EC50 (72h)	0.049 mg/l (algae)
EC50 (48h)	0.47 mg/ltr. (daphnia)
EC50 (3h)	39.3 mg/l (Microorganism)
NOEC	0.014 mg/ml (Pimephales promelas)
	0.01 mg/ml (daphnia)

· **Persistence and degradability**

105-59-9	2,2'-(methylimino)diethanol	96 %
112-34-5	2-(2-butoxyethoxy)ethanol	83-93 %

· **Behaviour in environmental systems:**

· **Bioaccumulative potential**

105-59-9	2,2'-(methylimino)diethanol	-1,08
112-34-5	2-(2-butoxyethoxy)ethanol	1
10043-35-3	boric acid	-0,757

· **Mobility in soil** No further relevant information available.

(Contd. on page 12)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.02.2021

Version number 1.2

Revision: 25.02.2021

Trade name: Oilfino Cut 7050+

(Contd. of page 11)

- **Additional ecological information:**
- **General notes:**
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

SECTION 13: Disposal considerations

- **Waste treatment methods**
- **Recommendation**
Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- **European waste catalogue**

13 02 05*	mineral-based non-chlorinated engine, gear and lubricating oils
15 01 10*	packaging containing residues of or contaminated by hazardous substances
HP10	Toxic for reproduction

- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

SECTION 14: Transport information

- **UN-Number**
- **ADR, IMDG, IATA** not regulated
- **UN proper shipping name**
- **ADR, IMDG, IATA** not regulated
- **Transport hazard class(es)**
- **ADR, ADN, IMDG, IATA**
- **Class** not regulated

(Contd. on page 13)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.02.2021

Version number 1.2

Revision: 25.02.2021

Trade name: Oilfino Cut 7050+

(Contd. of page 12)

· Packing group · ADR, IMDG, IATA	not regulated
· Environmental hazards:	Not applicable.
· Special precautions for user	Not applicable.
· Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable.
· UN "Model Regulation":	not regulated

SECTION 15: Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **Seveso category** H2 ACUTE TOXIC
- **Qualifying quantity (tonnes) for the application of lower-tier requirements** 50 t
- **Qualifying quantity (tonnes) for the application of upper-tier requirements** 200 t
- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3, 55
- **National regulations:**
- **Other regulations, limitations and prohibitive regulations**
- **Substances of very high concern (SVHC) according to REACH, Article 57**

10043-35-3	boric acid
------------	------------
- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

- **Disclaimer**

This safety data sheet contains only safety relevant information. The information is based on the state of our knowledge at the time of revision, however, it does not constitute a guarantee of product properties, product information or product specifications and does not establish a contractual legal relationship. This document is only valid in its unchanged form. In the event of changes by third parties, the exhibitor accepts no responsibility for form and content or for any damages or claims arising from such changes. The information is not transferable to other products. If the product named in this safety data sheet is mixed, blended or processed with other materials or is subjected

(Contd. on page 14)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.02.2021

Version number 1.2

Revision: 25.02.2021

Trade name: Oilfino Cut 7050+

(Contd. of page 13)

to processing, the information in this safety data sheet cannot be transferred to the new material produced in this way, unless expressly stated otherwise. The data sheet does not release the user from the obligation to ensure that he acts in accordance with all regulations in connection with his activity.

Relevant phrases

- H302 Harmful if swallowed.
- H304 May be fatal if swallowed and enters airways.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H331 Toxic if inhaled.
- H360FD May damage fertility. May damage the unborn child.
- H372 Causes damage to organs through prolonged or repeated exposure.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.

Department issuing SDS: Environmental Protection Department**Contact:** MSDS authorized Person**Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity – Category 4

Acute Tox. 3: Acute toxicity – Category 3

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1

Repr. 1B: Reproductive toxicity – Category 1B

STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1

Asp. Tox. 1: Aspiration hazard – Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

*** Data compared to the previous version altered.**